

C.S. NO.	CUMMINS O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
26301			4	88.9	133	95.30	58.8-3.6	3-3.0 K	1-4.76	31.75	70	
26307U	FP-3906223	4B/6B	4/6	102	48	105.30	71.4-19.2	2-2.38	1-3.96	40	75.5	
26306J	FP-3907163 3802160 (KIT)	4BT 3.9 6BT 5.9	4/6	102	314	105.30	71.5-17.6	1-3.0 K 1-2.38	1-3.96	40	75.5	
26306JI	FP-3907156 3802100 (KIT)	4BTA/6BTA	4/6	102	48	105.30	71.5-17.3	1-3.0 K 1-2.38	1-3.96	40	75.5	
F-26318J	FP-3919041 3802248 (KIT)	4BT3.9/6BT5.9	6	102	274	105.40	71.6-20.6	1-3.0 K 1-2.38	1-3.96	40	83	
F-26318JU	FP-3917619	6BT ANODIZED HEAD	6	102	274	105.40	71.6-19.7	1-3.0 K 1-2.38	1-3.96	40	83	
F-26319J	FP-3930187 3802757 (KIT)	4BTA3.9/6BTA5.9 Dual-ALFIN	6	102	274	105.40	71.6-22.1	2-3.0 K	1-3.96	40	83	DUAL ALFIN
F-26319JU	3945856	6BT DUAL ALFIN Anodized head	6	102	274	105.40	71.6-18.7	2-3.17 K	1-3.96	40	83	
26307J	FP-3907156 3802100 (KIT)	4BTA/6BTA	4/6	102	48	105.30	71.4-17.4	1-3.0 K 1-2.38	1-3.96	40	75.5	
26307JU1	FP-3907163 3802160 (KIT)	4BT3.9/6BT5.9	6	102	48	105.30	71.4-17.6	1-3.0 K 1-2.38	1-3.96	40	75.5	
F-26307JU2	FP-3903579 3802030 (KIT)	4BT3.9/6BT5.9	6	102	21	105.30	71.4-16.5	1-3.0 K 1-2.38	1-3.96	40	75.8	
F-26307JU3	FP-3911400 3802170 (KIT)	6BTA 5.9	6	102	314	105.30	71.4-17.8	1-3.0 K 1-2.38	1-3.96	40	75.8	
F-26326J	FP-3926631 FP-3926632 3802561 (KIT)	6BTA 5.9	6	102	274	105.40	71.6-22.1	1-3.0 K 1-2.38	1-3.96	40	83	
F-26326JH	FP-3922571 3802487 (KIT)	6BTA 5.9	6	102	274	105.40	71.6-22.1	1-3.0 K 1-2.38	1-3.96	40	83	
F-26326JH1	FP-3928673	6BTA 5.9	6	102	274	105.40	71.6-22.1	1-3.0 K 1-2.38	1-3.96	40	83	
F-26326JH1U	3957416	6BT	6	102	274	105.40	71.6-21.8	1-3.0 K 1-2.38	1-3.96	40	83	
F-26334JY	3970192	6BT Gallery cooling	6	102	158	105.20	71.4-12.5	1-3.0 K 1-2.38	1-3.96	40	83	
F-26334JYU	3955497 ???	6BT Gallery cooling	6	102	397	105.20	71.4-18.5	1-3.0 K 1-2.38	1-3.96	40	83	
26337J	3958675	5.9L	6	102	397	105.30	71.4-18.6	1-3.0 K 1-2.38	1-3.96	40	83	
F-26337JO	3972884	5.9L	6	102	397	105.30	71.4-18.6	1-3.0 K 1-2.38	1-3.96	40	83	
F-26332JY	4934860	QSB 6.7 Gallery cooling	6	107	279	103.30	69.4-13.1	1-3.0 K 1-2.5	1-3.5	40	90.5	

C.S. NO.	CUMMINS O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
F-26332JYU	4939181	QSB 6.7 Gallery cooling	6	107	397	103.30	69.4-19.5	1-3.0 K 1-2.5	1-3.5	40	90.5	
F-26308JU1	FP-3925878 3802601 (KIT)	6CT	6	114	274	120.30	78.8-23.9	1-3.5 K 1-3.0 K	1-3.96	45	91	DUAL ALFIN ANODIZING
26308J	FP-3923163 3802397 (KIT)	6CT	6	114	314	120.30	78.8-21.7	1-3.5 K 1-3.0 K	1-3.96	45	91	DUAL ALFIN
26308JU	FP-3923165 3802396 (KIT)	6CT	6	114	314	120.30	78.8-25.4	1-3.5 K 1-3.0 K	1-3.96	45	91	DUAL ALFIN
F-26324J	FP-3917707 3802263 (KIT) 6743-31-2110	6CTA 8.3	6	114	314	120.50	79.0-25.0	1-3.5 K 1-3.0 K	1-3.96	45	91	DUAL ALFIN ANODIZING
F-26325J	FP-3923164 3802398 (KIT)	6CTA 8.3	6	114	314	120.40	78.9-21.3	1-3.5 K 1-3.0 K	1-3.96	45	91	DUAL ALFIN
F-26325JA	FP-3929161 3802657 (KIT)	6CTA 8.3	6	114	314	120.40	78.9-21.3	1-3.5 K 1-3.0 K	1-3.96	45	91	DUAL ALFIN
26340J	3943367	QSC 8.3	6	114	274	120.50	79.0-19.4	1-3.5 K 1-3.0 K	1-3.96	45	91	DUAL ALFIN
26341J	3942106	ISC/QSC	6	114	274	120.40	78.9-19.3	1-3.5 K 1-3.0 K	1-3.96	45	91	DUAL ALFIN ANODIZING
26312J	3277336	VT-504, 8.3L V378, 6.2L	8/6	117.475	107	100.80	57.56-9.9	1-3.0 K 1-2.38	1-2.77	34.925	90	
26310J	FP-3044448	L10	6	125	279	124.40	78.8-11.9	1-3.0 K 1-3.2 K	1-4.76	54	98.5	
F-26320J	3893751	L10 ANODIZED HEAD	6	125	279	125.00	79.5-14.3	1-3.0 K 1-3.17 K	1-4.76	54	102	DUAL ALFIN ANODIZING
F-26327J	FP-3045907	L10	6	125	279	124.20	78.8-9.6	2-3.0 K	1-4.76	54	98.5	
26317J	3019287	NH220	6	130	107	159.00	101.9-18.6-6.0	3-4.0 K	1- 6.09DK	50.8	110.5	
26304J	184800 3801330	NH220	6	130	107	158.70	101.5-18.7	3-4.0 K	1-6.0DK	50.8	110	
26309J	6620-31-2110 (Piston body) 6620-31-2010 (Piston assy) FP-199821	NH-220	6	130	107	159.10	102-18.7	3-4.0 K	1-6.1DK	50.8	110	
F-26311J	FP-3048808	NT855	6	139.5	107	159.50	102.4-23.5-6.5	1-4.0 K 1-3.3 K 1-3.0 K	1-4.76	50.8	120	DUAL ALFIN
26316J	FP-3081267 3803756	N-14	6	139.7	107	159.40	102.3-15.8-1.8	1-3.8 K 1-3.0 K	1-4.76	63.5	114.5	DUAL ALFIN
26316JU	FP-3081266 3803752	N-14	6	139.7	107	159.40	102.3-18.2-2.7	1-3.8 K 1-3.0 K	1-4.76	63.5	114.5	DUAL ALFIN
26316JX	FP-3081269 3803758	N-14 ANODIZED HEAD	6	139.7	107	159.40	102.3-15.8-1.8	1-3.8 K 1-3.0 K	1-4.76	63.5	114.5	DUAL ALFIN
26316JUX	FP-3081268 3803754	N-14 ANODIZED HEAD	6	139.7	107	159.40	102.3-18.2-2.7	1-3.8 K 1-3.0 K	1-4.76	63.5	114.5	DUAL ALFIN

C.S. NO.	CUMMINS O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
26305JA	FP-3017348	NH-250	6	139.7	107	159.51	102.412-20.572	1-4.0 K 2-3.2 K	1-4.76	50.8	119.5	
26305J	198660	NH-250	6	139.7	107	159.50	102.4-20.7	1-4.0 K 2-3.2 K	1-4.76	50.8	119.5	
26305JG	FP-3051554	NH-250	6	139.7	107	159.40	102-20.6	1-4.1 K 2-3.1 K	1-4.76	50.8	120	
26314J	215420 6711-31-2010 (Piston assy) 6711-31-2110 (Piston body) 3037346	NT855	6	139.7	48	152.70	95.8-10.9	1-3.5 K 2-3.3 K	1-4.76	50.8	120	Ring set: 6710-31-2033
26305JH	FP-3042320	NT855	6	139.7	107	159.80	102.4-20.7-6.3	1-4.0 K 1-3.0 K	1-4.76	50.8	120	
26305JI2G	FP-3028685	NT855	6	139.7	107	159.80	102.4-21.6-8.8	1-4.0 K 2-3.0 K	1-4.76	50.8	120	
26305JIG	FP-3051556	NT855	6	139.7	107	159.80	102.4-22.9-6.3	1-4.1 K 1-3.1 K	1-4.77	50.8	120	
26305JU	FP-3051553	NT855	6	139.7	107	159.80	102.4-19.4-6.3	1-4.1 K 1-3.1 K	1-4.76	50.8	120	
26305JUI	FP-3048650	NT855	6	139.7	107	159.40	102.3-20.6-6.1	1-4.1 K 1-3.1 K	1-4.79	50.8	120	
26305JUI1	FP-3051555	NT855	6	139.7	107	159.80	102.4-21.9-6.3	1-4.2 K 1-3.2 K	1-4.76	50.8	120	
26305JUI1G	P1893X80	NT855	6	139.7	107	159.50	102.3-21.9-6.3	1-3.9 K 2-3.0 K	1-4.76	50.8	120	
26313JU	FP-3050366	NT855	6	139.7	107	159.80	102.4-20.8-6.5	1-4.0 K 2-3.2 K	1-4.76	50.8	120	DUAL ALFIN
26305JB	FP-3017349	NT-855	6	139.7	107	158.70	101.6-20.5	1-4.0 K 2-3.2 K	1-6.35	50.8	119.5	
26313JU1	FP-3048808	NT855 NH400	6	139.7	107	159.80	102.4-23.6-3.7	1-4.0 K 2-3.2 K	1-4.76	50.8	120	DUAL ALFIN
F-26313JUI	FP-3048809	NT855	6	139.7	107	159.80	102.4-21.6-6.5	1-4.0 K 2-3.0 K	1-4.76	50.8	120	DUAL ALFIN
F-26313JUI1	FP-3050480	NT855	6	139.7	107	159.80	102.4-22.1-8.8	1-4.0 K 2-3.0 K	1-4.76	50.8	120	DUAL ALFIN
F-26313JU2	FP-3052794	NT855	6	139.7	107	159.80	102.4-19.3-4.9	1-4.0 K 2-3.0 K	1-4.76	50.8	120	DUAL ALFIN
26311JH	MP3045948	NT855 NH350	6	139.7	107	159.50	102.4-22.5-6.5	1-4.0 K 2-3.0 K	1-4.76	50.8	120	DUAL ALFIN
26313J	FP-3069212	NT855 NH350 ELECTRONIC	6	139.7	107	159.80	102.4-15.8-4.8	1-4.0 K 2-3.0 K	1-4.76	50.8	120	DUAL ALFIN
F-26336J	3095707	NT855	6	139.7	107	159.50	102.3-19.6-8.6-8.4	1-3.97 K 1-3.17	1-4.76	50.8	120	
F-26335J	3031213 3801267 (Piston Assy)	VTA1710	12	139.7	279	139.90	95.5-12.4	1-3.97 K 1-3.17	1-4.76	50.77	120	DUAL-ALFIN

