

ISUZU

C.S. NO.	ISUZU O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
20859J	8-94149-276-4	4EC	4	76.0	111	71.7	41.7-1.3	1-2.0 1-1.5	1-3.0	25	60	
20907	8-94619-747-1	4FE1	4	76.3	95	79.9	44.9-2.4	2-2.0	1-4.0	25	63.5	
20873	8-94141-426-0	4XC1	4	77.0	12	59.5	28.5+0.5	1-1.5	1-2.8	18	61	
20881		4XC1 85-89	4	77.0	1	59	28.6	2-1.2	1-2.8	18	66	
F-20924		4LB1	4	77.4	215	70	35.5-2.0	1-2.0 1-1.5	1-3.5	21	60.5	
20904J	8-97188-927-2	17D GRAPHITE SKIRT	4	79.0	351	84	39.7-14-1.5-1.1	1-2.0 1-1.5	1-3.0	27	64	
20857J	97043773	4EE1T	4	79.0	111	69.6	39.7-1.5,-0.4-0.15	1-2.0 1-1.5	1-3.0	27	63.5	
20906J		4ELF1	4	79.0	111	79.7	39.7-1.5-0.4	1-2.0 1-1.5	1-3.0	25	60	
F-20922J	8-97300-110-0	GRAPHITE SKIRT	4	79.0	355	74	39.8-14.1	1-2.0 1-1.5	1-3.0	27	64	
F-20923JY	8-97329-296-1	GALLERY COOL GRAPHITE SKIRT	4	79.0	355	64.7	39.7-14.0	1-2.0 1-1.5	1-3.0	27	64	
20801	12111-312-0 12111-811-0	G150	4	79.0	1	80	37	2-2.0	1-4.0	22	66	
20842	8-94452-742-1 8-94232-085-0	4ZA1	4	82.0	12	80.4	37.0+2.4	2-1.5	1-4.0	22	66	
20802	9-12111-784-0 9-12111-670-0	G161	4	82.0	26	80	37.0-2.6	2-2.0	1-4.0	22	68.5	
20822	8-94200-645-0 8-94211-129-0	G161Z GB20	4	82.0	12	80.5	37.5-0.5	2-2.0	1-4.0	22	66	
20803	9-12111-302-0	C220	4	83.0	58	95	48.0-1.6	3-2.0	2-4.0	25	72	
20804	9-12111-646-0 5-12111-065-0	C221	4	83.0	31	95.5	48.5-3.1	3-2.0	2-5.0	25	72	
20839	8-94228-886-2	4FB1	4	84.0	111	74.7	44.8-0.5-0.4-1.72	1-2.5 1-2.0	1-4.0	25	67	
20839J	8-94228-886-2	4FB1	4	84.0	111	74.7	44.8-0.5-0.4-1.72	1-2.5 1-2.0	1-4.0	25	67	
20833	8-94228-887-1	4FC1	4	84.0	111	76.7	47.0-1.8	1-2.5 1-2.0	1-4.0	25	67	
20833J	8-94228-887-1	4FC1	4	84.0	111	76.7	47.0-1.8	1-2.5 1-2.0	1-4.0	25	67	
20840	8-94235-290-0 8-94238-475-0	4ZB1 G180	4	84.0	10	80	37.0-0.8	2-1.5	1-4.0	22	61	
20821U	8-94215-088-0	G180	4	84.0	2	80	37.0-0.8	2-2.0	1-4.0	22	66	
20819HA		G180 PICK-UP	4	84.0	1	80	36.65	2-2.0	1-4.0	22	66.29	
20819	9-12411-622-0	G180 1817cc	4	84.0	1	80	37	2-2.0	1-4.0	22	66	

C.S. NO.	ISUZU O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
20820	9-12411-670-0	G180 SR 1817cc	4	84.0	1	80	37	2-2.0	1-4.0	22	66	
20820G	9-12411-670-0	G180 SR 1817cc	4	84.0	1	80	37	2-2.0	1-4.0	22	66	
20821A	8-94201-040-0 8-94201-607-0	G180Z 4ZB1	4	84.0	2	80	37.0-2.2	2-2.0	1-4.0	22	66	
20821	8-94208-205-0	G180Z 1817cc	4	84.0	2	80	37.0-2.2	2-2.0	1-4.0	22	66	
20806A	5-12111-203-0 5-12111-119-0	C190	4	86.0	163	95.5	51.5-1.9	3-2.0	1-5.0	27	72	
20826J	5-12111-225-0	C190	4	86.0	163	96.5	51.5-1.8	1-2.5 1-2.0	1-5.0	27	68	
20805A	5-12411-056-1 9-12111-834-0	C190 C240	4	86.0	31	95.5	51.5-3.0	3-2.0	2-5.0	27	72	
20826	5-12111-225-0 5-12111-226-0	C190 C240 KBD26	4	86.0	163	96.5	51.5-1.8	1-2.5 1-2.0	1-5.0	27	68	
20805	5-12111-064-0 9-12111-813-0	C240	4	86.0	31	95.5	51.5-3.0	3-2.0	1-5.0	27	72	
20806	9-12411-813-0 5-12111-137-0	C240	4	86.0	164	95.5	51.5-1.9	3-2.0	1-5.0	27	72	
20806B	5-12111-202-0 5-12111-137-0	C240	4	86.0	163	95.5	51.5-2.65	3-2.0	1-5.0	27	72	
20887	8-94326-225-0	C240(3G)	4	86.0	164	84.5	51.5-2.5	1-2.5 1-2.0	1-5.0	27	68	
20887J	8-94326-225-0	C240(3G)	4	86.0	164	84.5	51.5-2.5	1-2.5 1-2.0	1-5.0	27	68	
20828	9-12111-544-0 5-12111-689-0	G201 1951cc	4	86.0	5	85	48.0-3.2	2-2.5	1-5.0	25	75	
20899	8-92062-910-0	X22SE	4	86.0	81	55.5	30.4-7.5	2-1.5	1-3.0	21	61	
F-20915	8-92064-692-0	X22SE	4	86.0	13	53.7	27.6-1.2	1-1.2 1-1.5	1-2.5	21	61	
20831A	8-94237-469-1	G200	4	87.0	1	80	37	2-1.5	1.4.0	22	77	
20831B	8-94258-494-2	G200	4	87.0	121	80.5	37.0+0.5	2-1.5	1-4.0	22	77	
20831	8-94213-831-0 8-94217-890-0	G200Z	4	87.0	1	80	37	2-2.0	1-4.0	22	77	
20834	8-94105-454-0	4FD1	4	88.0	111	80.6	46.7-2.1	2-2.0	1-4.0	27	68	
20834J	8-94105-454-0	4FD1	4	88.0	111	80.6	46.7-2.1	2-2.0	1-4.0	27	68	
20893J		4JC1	4	88.0	216	87.7	47.8-14.2 -1.1	2-2.0	1-4.0	31	71	
20835	8-94143-151-1 8-94175-087-2	4ZC1	4	88.0	10	80.1	37.0-2.0	2-1.5	1-4.0	22	77	
20882		4ZC1	4	88.0	10	80	37.0-3.5	2-1.5	1-4.0	22	77	
20816	5-12111-212-0	C223	4	88.0	163	90	47.6-0.2-2.2	1-2.5 1-2.0	1-4.5	27	68	
20816J	5-12111-212-0	C223	4	88.0	163	90	47.6-0.2-2.2	1-2.5 1-2.0	1-4.5	27	68	

C.S. NO.	ISUZU O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
20829G		C223	4	88.0	164	82.5	47.5-0.1 -0.2-2.2	1-2.5 1-2.0	1-4.5	27	68	
20829J	8-94250-729-0	C223 KB2200	4	88.0	164	82.5	47.5-0.1 -0.2-2.2	2-2.0	1-4.0	27	68	
20829	8-94250-729-0	C223 KB2200	4	88.0	164	82.5	47.5-0.2-2.2	2-2.0	1-4.0	27	68	
20866	8-941188-262 8-94118-826-2	C223T	4	88.0	163	82.6	47.6-0.2-1.8	1-2.5 1-2.0	1-4.0	29	68	
20866J	8-94118-826-2	C223T	4	88.0	163	82.6	47.6-0.2-1.8	1-2.5 1-2.0	1-4.0	29	68	
20868	8-97073-851-0 8-94454-813-0	4FG1	4	89.3	111	80.7	47.2-2.6-0.5	2-2.0	1-4.0	27	68	
20868J	8-97073-851-0 8-94454-813-0	4FG1	4	89.3	111	80.7	47.2-2.6-0.5	2-2.0	1-4.0	27	68	
20836	8-94156-657-0 8-94438-625-0	4ZD1	4	89.3	10	81	39.0-5.2	2-1.5	1-4.0	23	77	
20841	8-94163-189-1	4ZE1	4	92.6	2	79	36.5-1.4	2-1.5	1-4.0	23	72	
20853	8-97037-801-1	4ZE1	4	92.6	262	79	36.5-4.5	2-1.5	1-4.0	23	72	
20837JA	8-94369-281-0	4JA1	4	93.0	216	87.9	47.9-14.55	2-2.0	1-4.0	31	76	
20837JGA		4JA1	4	93.0	216	87.9	47.9-14.7-0.5	2-2.0	1-4.0	31	76	
20851J	8-97089-892-0	4JA1	4	93.0	251	87.9	47.9-17.6-0.7	2-2.0	1-4.0	31	76	
20878J	8-94176-601-0	4JA1	4	93.0	251	87.8	47.8-17.2-0.6	2-2.0	1-4.0	31	76	
20885J		4JA1	4	93.0	216	87.9	47.8-14.6	2-2.0	1-4.0	31	76	
20847J	8-94152-711-0	4JB1	4	93.0	216	91.9	51.9-14.4	2-2.0	1-4.0	31	76	
20847JU	8-94433-177-1	4JB1	4	93.0	216	91.9	51.9-14.5	2-2.0	1-4.0	31	76	
20889J	8-97176-606-0	4JB1	4	93.0	251	91.8	51.8-19.0	2-2.0	1-4.0	31	76	
20872J	221-0	4JB1(NEW)	4	93.0	251	91.9	51.9-19.6-0.6-0.8	2-2.0	1-4.0	34	78.5	
20850J	8-94340-620-2	4JB1T	4	93.0	216	91.9	51.9-13.7-0.5	2-2.0	1-4.0	34	78	
20879JA	8-94176-611-0 8-97108-621-0 8-94460-887-1	4JB1T	4	93.0	251	91.9	51.9-19.5	2-2.0	1-4.0	34	78	
20892	8-97172-674-0	6VD1	6	93.5	273	57	33.7-1.9	2-1.5	1-3.0	22	66	
20898	8-97104-386-0	6VD1	6	93.5	280	65.2	31.7	2-1.5	1-4.0	22	66	
20892U		6VD1	6	93.5	284	57	33.7-3.1	2-1.5	1-3.0	22	66	
20900	8-97136-315-3	6VE1	6	93.5	124	52.7	29.7-3.0	2-1.5	1-3.0	22	66	
20875J	8-97073-647-1	4JG2	4	95.4	95	89.2	49.2-2.6	1-2.5 1-2.0	1-4.0	34	78	

C.S. NO.	ISUZU O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
20874J	8-97176-620	4JG2T gallery+anodize	4	95.4	95	89.2	49.2-2.4	1-2.5dk 1-2.0	1-4.0	34	78	
20874JG	5623117 8-97086-449-0	4JG2T gallery+anodize	4	95.4	95	89.2	49.2-2.4	1-2.5 1-2.0	1-4.0	34	78	
20913J	8-97263-264-2	4JX1-TC MOS2+Anodize Gallery Cooling	4	95.4	351	101.7	50.0-17.7	1-2.5dk 1-2.0	1-4.0	31	76	
22331J	12010-VC112	ZD30ET Anodize Gallery Cooling		96.0	274	74.1	50.1-19.6	1-2.5k 1-2.0	1-3.0	33	78	
22331JG	12010-VK610	ZD30DDTI Anodize Gallery Cooling	4	96.0	274	74.1	50.1-19.6	1-2.5k 1-2.0	1-2.0	33	78	
20817	9-12411-814-0 5-12111-055-1	4BA1	4	98.0	111	112.3	62.6-2.0	1-3.0 1-2.5	1-5.0	33	85	
20808	9-12111-196-0	DA120	6	100.0	292	125	62.0-2.7	3-2.5	2-4.0	34	83.5	
20808T	9-12111-126-0 9-12111-901-0	DA120 NEW	6	100.0	292	125	62.0-2.7	3-2.5	1-5.0	34	83.5	
20808B	9-12111-320-0	DA120 DIESEL	6	100.0	292	125	62.0-2.7	3-2.5	2-5.0	34	83.5	
20843J	5-12111-188-1	4BC1	4	102.0	111	112	58.5-2.2	1-3.0 1-2.5	1-5.0	33	83	
20830	5-12111-230-4	4BC2	4	102.0	216	98.1	58.8-19.6	1-3.0 1-2.5	1-5.0	35	87	
20886		4BC2	4	102.0	129	98	58.7-17.4-0.5	1-3.0 1-2.5	1-5.0	35	85	
20830J	5-12111-230-4	4BC2	4	102.0	216	98.1	58.8-19.6	1-3.0 1-2.5	1-5.0	35	87	
20846J	5-12111-230-4 8-94169-765-0	4BC2	4	102.0	129	98	58.9-17.6-9.5	1-3.0 1-2.5	1-5.0	35	85	
20886J		4BC2	4	102.0	129	98	58.7-17.4-0.5	1-3.0 1-2.5	1-5.0	35	85	
20860J	8-94452-912-0	4BD1	4	102.0	304	98.3	58.9-19.7	1-3.0 1-2.5	1-5.0	35	87.5	
20845J	8-94321-734-0 8-94175-027-2	4BD1T	4	102.0	216	98	58.8-19.5	1-3.0 1-2.5	1-5.0	35	87.5	
20845JA	8-94321-734-0 8-94175-027-2	4BD1T	4	102.0	216	98	58.8-19.5	1-3.0 1-2.5	1-5.0	35	87.5	
20877J	8-97176-640-0 8-97250-457-2	4BD2T gallery+anodize	4	102.0	95	98.1	58.8-2.6	1-3.0 1-2.5	1-5.0	35	87.5	
20877JU	8-97176-642-0	4BD2T gallery+anodize	4	102.0	95	98.1	58.8-2.6	1-3.0 1-2.0	1-5.0	35	87.5	
20811	5-12111-013-0	6BB1	6	102.0	129	112.3	62.8-19.1	1-3.0 1-2.5	1-5.0	35	87	
20888	1-12111-633-0	6BB1	6	102.0	129	102	62.7-19.0	1-3.0 1-2.5	1-5.0	35	87.5	
20815	5-12111-068-0	6BD1	6	102.0	129	104.2	58.7-19.8	1-3.0 1-2.5	1-5.0	35	87	
20844JA	1-12111-321-0	6BD1	6	102.0	216	98	58.8-19.5	1-3.0 1-2.5	1-5.0	35	87.5	
20815J	5-12111-068-0 5-12111-211-1	6BD1 4BD1	6	102.0	129	104.2	58.7-19.8	1-3.0 1-2.5	1-5.0	35	87	

C.S. NO.	ISUZU O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
20844JUD	1-12111-428-0	6BD1T	6	102.0	216	98	58.8-11.2-19.7	1-3.0 1-2.5	1-5.0	35	87.5	
20869JA	1-12111-773-0 1-12111-303-0	6BD1T	6	102.0	129	104.2	58.8-19.7-0.4-0.3	1-3.0 1-2.5	1-5.0	35	87.5	
20890J	1-12111-240-1	6BD1T	6	102.0	129	104.2	58.8-19.8-0.4	1-3.0 1-2.5	1-5.0	35	87.5	
20844J	1-12111-325-1	6BD1T OLD	6	102.0	216	98	58.8-19.5	1-3.0 1-2.5	1-5.0	35	87	
20809B	9-12111-377-1	DA640	6	102.0	45	125	62.0-2.7	3-2.5	2-5.0	34	83.5	
20810G1		DA640	6	102.0	45	125	68-2.7	3-2.5	1-5.0	36	86	
20810G2		DA640	6	102.0	45	125	68-2.7	3-2.5	1-5.0	36	86	
20810J	9-12111-740-0	DA640 BUS	6	102.0	45	125	68.0-2.7	3-2.5	1-5.0	36	86	
20809	9-12111-321-0	DA640 OLD	6	102.0	45	125	62.0-2.7	3-2.5	2-4.0	34	83.5	
20810T		DA640 BUS	6	102.0	45	125	68.0-2.7	3-2.5	1-5.0	36	86	
20809A	9-12111-122-0	DA640 NEW	6	102.0	45	125	62.0-2.7	3-2.5	1-5.0	34	83.5	
20810JG	1-12111-050-0	DA640T	6	102.0	45	125	68.0-2.7	1-3.5dk 2-2.5	1-5.0	36	86	
20830JU		DAEWOO DB33	4	102.0	100	98.1	58.8-18.2	1-3.0 1-2.5	1-5.0	35	87	
20849JA	8-94438-989-1	4BE1	4	105.0	216	95.7	56.4-0.41	1-3.0 1-2.5	1-5.0	35	85	
20849JI	8-94478-116-0	4BE1	4	105.0	304	95.7	56.4-18.0	1-3.0 1-2.5	1-5.0	35	85	
20864J	8-94478-116-0	4BE1 LATE	4	105.0	304	95.7	56.5-18.0	1-3.0 1-2.5	1-5.0	35	85	
20852J	1-12111-345-0	6BF1	6	105.0	216	110	58.8-19.3	1-3.0 1-2.5	1-5.0	35	87.5	
20838A	1-12111-377-4	6BG1	6	105.0	216	94.4	55.2-18.8-0.32	1-3.0 1-2.5	1-4.0	35	87.5	
20838J	1-12111-377-4 1-12111-323-2	6BG1	6	105.0	216	94.4	55.2-18.8-0.32	1-3.0 1-2.5	1-4.0	35	87.5	
20838JG	1-12111-366-0	6BG1	6	105.0	216	94.4	55.2-18.8-0.32	1-3.0 1-2.5	1-5.0	35	87.5	
20891J		6BG1	6	105.0	129	94.6	55.3-18.7-0.4	1-3.0 1-2.5	1-4.0	35	87.5	
20855J	1-12111-626-0	6BG1T gallery cool	6	105.0	251	94.5	55.2-22.0-0.4	1-3.5 1-2.5	1-4.0	35	87.5	
20855JG	1-12111-626-0	6BG1T 中空	6	105.0	251	94.5	55.2-22.0-0.4	1-3.0 1-2.5	1-4.0	35	87.5	
20838JU	1-12111-435-0	6BG1T 6BG1	6	105.0	216	94.6	55.4-18.6	1-3.0 1-2.5	1-4.0	35	87.5	
20884J			6	105.0	340	111	62.7-21.5	2-3.0	1-5.0	38	88	

C.S. NO.	ISUZU O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
20914J	8-97176-653-0	4HE1-T steel strut Gallery Cooling	4	110.0	274	119.9	66.1-22.1	1-3.0k 1-2.5	1-4.0	40	87	
20862J	8-94396-837-0	6HE1	6	110.0	304	99.9	66.3-19.5	1-3.0 1-2.5	1-4.0	36	79	
20905J	605-0 8-94391-605-0	6HE1T 4HE1T gallery cool	6/4	110.0	151	119.9	66.1-23.1	1-4.0dk 1-3.0 1-2.5	1-3.0	40	87	
20894J	696-0 8-94391-696-0	6HE1T gallery+ MOS2	6	110.0	151	110	66.2-22.6	1-3.0k 1-2.0 1-1.2	1-3.0	40	87	
20911J	8-94391-596-1 8-94391-596-0	6HE1-TC Gallery Cooling	6	110.0	274	119.9	66.1-23.1	1-4.0dk 1-3.0 1-2.5	1-3.0	40	87	DUAL-ALFIN
F-20927JY	8-94391-594-0	6HE1T Gallery cooling	6	110.0	151	119.9	66.1-22.0	1-4.0dk 1-3.0 1-2.5	1-3.0	40	87	DUAL-ALFIN
20861J	6270	4HF1	4	112.0	274	94.5	60.8-21.0	1-3.0k 1-2.5	1-4.0	36	79	BOWL:53.5
20861JH	8-97176-657-1	4HF1	4	112.0	274	94.5	60.8-21.0	1-3.0k 1-2.5	1-4.0	36	79	BOWL:49.5
20865J	8-97095-585-1	4HF1	4	112.0	274	94.5	60.8-21.7	1-3.0 1-2.5	1-4.0	36	79	BOWL:54.0
20865JU	8-97063-867-0	4HF1	4	112.0	304	94.5	60.8-18.3	1-3.0 1-2.5	1-4.0	36	79	RECTANGU- LAR BOWL
20876J	1-12111-794-0	10PB1	10	115.0	242	104	67.8-23.2	1-3.0 1-2.5	1-4.0	38	80	
20909J	7061	4HG1 gallery cool	4	115.0	274	119.4	60.7-22.5	1-3.0k 1-2.5	1-4.0	36	79	
20870J	8-94391-950-0	6HH1 STEEL STRUT	6	115.0	274	106.5	62.7-22.6	1-3.5 1-2.5	1-4.0	36	79	
F-20870J	8-94391-606-1	6HH1 STEEL STRUT	6	115.0	274	106.5	62.7-22.6	1-3.5 1-2.5	1-4.0	36	79	
20901J	8-94391-598-0	6HH1 gallery cool	6	115.0	274	106.3	62.6-22.5	1-3.5 1-2.5	1-4.0	36	79	
20848J	1-12111-217-1	6SA1	6	115.0	242	104	67.8-22.7	1-3.0 1-2.5	1-4.0	38	80	
20854J	1-12111-459-1	6SA1T gallery cool	6	115.0	264	104.2	67.8-23.2-2.5	1-3.0 1-2.5	1-4.0	38	80	
20871J	1-12111-549-3	10PD1	10	119.0	304	106.6	67.6-25	1-4.0 1-2.5	1-4.0	43	80	
20867J	1-12111-591-0	6SD1 gallery cool	6	120.0	242	117	75.0-24.7	1-3.5 1-2.5	1-5.0	43	89.5	
20867JV	5670	6SD1T gallery cool	6	120.0	242	117	75.0-24.7	1-3.5 1-2.5	1-5.0	43	89.5	
20895J	1-12111-843-0	6SD1-TC EARLY	6	120.0	264	127.5	75.0-22.2-1.5	1-4.0dk 2-3.0	1-4.0	43	89.5	
20912J	1-12111-986-0	6SD1-TC Late MOS2 Gallery Cooling	6	120.0	84	127.7	75.2-18.0-1.4	1-3.0dk 1-2.0 1-3.0	1-3.0	48	100	
20812	9-12111-742-0	DH100	6	120.0	45	151	77.5-3.2	3-3.0	1-6.0	45	97	
20897J	1-12111-206-0 1-12111-338-0	6QA1	6	125.0	348	136	83.2-25.6 -1.1 -1.0	1-3.0 1-2.5	1-6.0	46	106	
20902J		WD615	6	126.0	316	133	80.0-25.9	1-3.5dk 1-3.0	1-4.0	50	104	

