

MAZDA

C.S. NO.	MAZDA O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21301	0187-99-111	SA800 782cc	4	58.0	1	56.2	29.2	2-1.5	1-4.0	18	48	
21347	KK135-51-060	KIA PRIDE NEW	4	68.0	256	63.6	32.0+0.6	1-1.2 1-1.5	1-3.0	20	52	
21346	KK1Y8-11-SAO	KIA PRIDE OLD	4	68.0	255	63.6	31.5+0.6	1-1.2 1-1.5	1-3.0	20	52	
21303	0259-23-200	PB100	4	68.0	71	73.9	37.5+4.4	2-2.0	1-4.0	20	56	
21305A	8698-23-200	323	4	70.0	101	74.5	37.0+5.5	2-2.0	1-4.0	20	55	
21317		B3	4	70.0	220	66.5	29.0+5.5	1-1.2 1-1.5	1-4.0	20	65	
21305	0317-23-200	PC1000 985cc	4	70.0	101	74.5	37.0+5.5	2-2.5	1-4.0	20	55	
21306	0268-23-200	TB1200	4	70.0	71	71	37.0+2.0	2-2.0	1-4.0	20	56	
21381		600 cc	2	70.0	1	76.5	41	2-2.5	1-4.0	22	59	
21357	B3Y6-11-SBXA	323	4	71.0	293	60.1	29.3-8.6-4.0	1-1.2 1-1.5	1-3.0	20	52	
21302G	B3Y0-11-SAO	B3	4	71.0	207	60	28.7-4.7	1-1.2 1-1.5	1-3.0	20	52	
21335		金全壘打1.3	4	71.0	5	59.6	29.0-1.1	1-1.2 1-1.5	1-3.0	20	52	
21341		金全壘打1.3 直噴	4	71.0	207	60	29.3-8.65	1-1.2 1-1.5	1-3.0	20	52	
21326	8034-23-200	TC	4	73.0	101	64.5	31.0+1.5	2-1.5	1-4.0	20	65	
21307	0324-23-200	TC1300	4	73.0	82	69	37	2-2.0	1-4.0	20	56	
21308	0370-23-200	TC1300	4	73.0	101	70.5	37.0+1.5	2-2.0	1-4.0	20	55	
21307HA		TC1300	4	73.0	82	68.6	36.52	2-2.0	1-4.0	20	54.88	
21309	0107-11-102 0603-23-200	UA	4	75.0	1	78	41	2-2.5	1-4.0	22	64	
21384	Z5Y0-11-SAOB	Z5	4	75.3	289	51.8	28.0-6.3	1-1.0 1-1.2	1-2.5	20	61	
21324G		E3	4	77.0	144	61.8	29.0+0.8	2-1.5	1-4.0	20	65	
21324G1	E302-23-200	E3	4	77.0	144	61.8	29.0+0.8	1-1.5 1-2.0	1-4.0	20	65	
21324	E301-23-200	E3	4	77.0	144	61.8	29.0+0.8	1-1.2 1-1.5	1-4.0	20	65	
21325	E501-23-200	E5	4	77.0	145	61	29.0-2.3	1-1.2 1-1.5	1-4.0	20	65	
21325HA	E502-23-200	E5	4	77.0	145	60.6	28.6-2.0	1-1.5 1-2.0	1-4.0	20	65	
21325HD		E5	4	77.0	87	61	29.0-2.0	1-1.5 1-2.0	1-4.0	20	65	

C.S. NO.	MAZDA O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21327	8569-23-200	UC 1400	4	77.0	120	63	31.0-1.0	2-1.5	1-4.0	20	65	
21327G	D410-23-200	UC 1400	4	77.0	120	63	31.0-1.0	1-1.5 1-2.0	1-4.0	20	65	
21304		B6	4	78.0	17	67.3	31.9+4.2	2-1.5	1-4.0	20	65	
21379	B6Z7-11-SAO	B6	4	78.0	273	62.4	31.9-2.5	2-1.5	1-3.0	20	57	
21336U	B6Y3-11-SAO	B6	4	78.0	219	62.4	31.9-2.4	2-1.5	1-3.0	20	61	
21359	B6Z2-11-SAO	B6 PAMA9S	4	78.0	273	63.5	32.3-1.3	2-1.5	1-4.0	20	62	
21334	B6Y0-11-SAO	B6Y	4	78.0	207	63	32.0-2.06	2-1.5	1-4.0	20	61	
21333		E5	4	78.0	103	63.6	32	2-1.5	1-4.0	20	65	
21321	D272-6108B	FORD TRUCK	4	78.0	13	82	37.0+8.0	2-1.5	1-4.0	22	65	
21354		LIATA 1.6	4	78.0	289	62.5	32.0-2.5	2-1.5	1-3.0	20	57	
21336CU	B6Z5-11-SAOC	MX3	4	78.0	219	62.4	31.6-2.4	2-1.5	1-3.0	20	61	
21323	0305-23-200	NA, B1600	4	78.0	13	78.2	38.5+2.7	2-1.5	1-4.0	22	65	
21322	8170-23-200A H601-23-200	NA, E1600	4	78.0	13	78.2	38.5+2.7	1-1.2 1-1.5	1-4.0	20	65	
21322A	H602-23-200	NA, E1600	4	78.0	13	78.2	38.5+2.7	1-1.5 1-2.0	1-4.0	20	65	
21322B	0305-23-200A	NA, E1600	4	78.0	13	78.2	38.5+2.7	2-1.5	1-4.0	20	65	
21322HD	8170-23-200	NA, E1600	4	78.0	13	78.25	38.10+3.22~3.02	1-1.2 1-1.5	1-4.0	20	65.1	
21311	0305-23-200	NA1600	4	78.0	13	78.5	38.65+2.85	2-1.5	1-4.0	22	65	
21360	PN11-11-SAOB	PN	4	78.0	195	76.1	41.3-1.4-2.6	1-2.0 1-1.5	1-3.0	25	64	
21310	0223-23-200	UB1500 1490cc	4	78.0	13	83	41.0+5.0	2-2.0	1-4.0	22	65	
21310HA	0222-11-102B	UB1500 1490cc	4	78.0	13	82.45	40.48+4.96	2-2.0	1-4.0	22	64.56	
21321HA		VB1800	4	78.0	13	81.93	37.1+7.9	2-1.5	1-4.0	22	64.89	
21320	0290-23-200	VB-1800 1796cc	4	78.0	5	77	40.0-2.5	2-1.5	1-4.0	22	65	
21336	B6Y2-11-SAO	金全壘打1.6	4	78.0	219	63	32.5-3.0	2-1.5	1-3.0	20	61	
21375	OK-203-111-02	嘉年華 96 16V DOHC	4	78.0	280	62.5	31.4	2-1.5	1-3.0	20	61	
21376		嘉年華 96 16V DOHC	4	78.0	273	63	31.9-0.9	2-1.5	1-3.0	20	61	
21343I	8682-23-100A	B1800	4	80.0	5	73	36.0-2.0	1-1.2 1-1.5	1-4.0	20	65	

C.S. NO.	MAZDA O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21319	8682-23-200A HE01-23-200	MA2000	4	80.0	1	73.3	36.3	1-1.5 1-1.2	1-4.0	20	65	
21330	3975-23-200	MA2000	4	80.0	1	73.2	36.2	2-2.0	1-4.0	22	65	
21319A	HE41-23-200	MA2000	4	80.0	1	73.3	36.3	1-1.5 1-2.0	1-4.0	20	65	
21319B	3935-23-200	MA2000	4	80.0	1	73.3	36.3	2-2.0	1-4.0	20	65	
21319C	HE01-23-200	MA2000	4	80.0	1	72.8	35.8	1-1.5 1-2.0	1-4.0	20	65	
21319G		MA2000	4	80.0	5	72.7	35.7-0.6	1-1.2 1-1.5	1-4.0	20	65	
21337	H801-23-200 4116-23-200 8171-23-200	VC, MA2000	4	80.0	5	73	36.0-2.0	1-1.2 1-1.5	1-4.0	20	65	
21318	0453-23-200	VC1800	4	80.0	5	73	36.0-2.0	2-2.0	1-4.0	22	65	
21318HB		VC1800	4	80.0	5	72.64	35.58-1.27	2-2.0	1-4.0	22	64.56	
21380L/R	KJY1-11-SAO	KJ MOS2	6	80.3	90	58.6	30.3+0.6	2-1.5	1-3.0	21	63	
21314	F605-23-200	F6	4	81.0	206	75.5	34.0+4.5	2-1.5	1-4.0	21.98	67	
21356	F601-23-200	F6	4	81.0	312	71	34	2-1.5	1-4.0	22	67	
F-20111	OK2Y4-11-SAO	T8 1.8L, 5BP	4	81.0	229	50.5	30.3-2.6	2-1.5	1-3.0	20.0	58.5	
21312	0164-99-111	VA2000	4	82.0	1	83.5	45	2-2.5	1-4.5	22	70.5	
21312A	0164-11-102 0553-23-200	VA2000	4	82.0	1	83.5	45	2-2.0	1-4.5	22	70.5	
21362	BPY0-11-SAOA	BP	4	83.0	273	61	30.7-2.5	2-1.5	1-3.0	20	61	
21371	BPY1-11-SAOA	BP	4	83.0	328	61.5	30.6+0.5	2-1.5	1-3.0	20	57	
F-21388	BPZ0-11-SAO	BP	4	83.0	265	63	30.7+2.0	2-1.5	1-3.0	20	57	
F-21389	BPZ3-11-SAO	BP	4	83.0	265	64	30.7+2.0+3.0	2-1.5	1-3.0	20	57	
21358	FPY1-11-SAOC	FP	4	83.0	289	53.8	29.8-6.3	1-1.2 1-1.5	1-3.0	19	58	
26796	FSY1-11-SAO	FS	4	83.0	289	53.8	30.0-8.4	1-1.2 1-1.5	1-3.0	19	58	
21368		LIATA 1.8	4	83.0	227	61	30.6+0.4	2-1.5	1-3.0	20	57	
21378	KLY5-11-SAO	KL 626 ES/LX 2.5L MOS2	6	84.5	273	55.4	28.6-0.9	2-1.5	1-3.0	20	61	
21355L	KLY1-11-SAO(L)	KLV6 MOS2	6	84.5	253	56	29.2-1.6	2-1.5	1-3.0	20	61	
21355R	KLY1-11-SLO(R)	KLV6 MOS2	6	84.5	253	56	29.2-1.6	2-1.5	1-3.0	20	61	

C.S. NO.	MAZDA O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21342V	FEA7-23-200	626	4	86.0	234	72.7	34.0+1.7	2-1.5	1-4.0	22	67	
21372	F220-11-SAO	F2	4	86.0	289	71.4	36.5-9.5	2-1.5	1-4.0	22	67	
21345	F2Y2-11-SAO	F2	4	86.0	273	71.5	36.5-6.8	2-1.5	1-4.0	22	67	
21349	F2Y4-11-SAO	F2 TRUCK B2200 CARB	4	86.0	181	71	36.0-5.4	2-1.5	1-4.0	22	67	
21338IV	FEY3-11-SAO	FE	4	86.0	181	71	34.0-2.5	2-1.5	1-4.0	22	67	
21339V	FEA7-23-200	FE	4	86.0	234	72.8	34.0+1.8	2-1.5	1-4.0	22	67	
21340V	FEYC-11-SAO	FE	4	86.0	265	71	34.6-0.5	2-1.5	1-4.0	22	67	
21348	FEYB-11-SAOA	FE 6V	4	86.0	265	72.5	36.5+1.0	2-1.5	1-4.0	22	71.5	
26773	F801-23-200	F8	4	86.0	302	71	34	2-1.5	1-4.0	22	67	
26775	FE01-23-200	FE	4	86.0	181	70.8	34.0-2.6	2-1.5	1-4.0	22	67	
21353J	R2Y0-11-SAO	R2 gallery cool	4	86.0	215	86.2	47.2-1.5	2-2.0	1-3.0	25	68	
21377J	R2Y3-11-SAO	R2 gallery cool	4	86.0	215	82.2	43.2-1.2-2.2	2-2.0	1-3.0	25	64	
21332J	RF01-23-200 R201-23-200	R2 E2200	4	86.0	133	86.3	47.3-1.6	2-2.0	1-4.0	25	68	
21365J	RFY4-11-SAOA	RF gallery cool	4	86.0	195	86.2	47.2-1.2	1-2.0k 1-2.0	1-3.0	30	68	
21367		F2	4	86.0	273	71.5	36.5-6.7	2-1.5	1-4.0	22	67	
21367CU		F2 TURBO	4	86.0	273	71.5	36.2-9.5	2-1.5	1-4.0	22	67	
21328	1456-23-200A	E2200, S2	4	88.9	95	94.7	50.8-1.7	2-2.38	1-4.76	28	73	
21328J	8259-23-200C	E2200, S2	4	88.9	95	94.7	50.8-1.7	2-2.38	1-4.76	28	73	
21313	0559-23-200 0636-23-200 0750-23-200	E2500	4/6	88.9	1	115.6	60.13	3-2.38	2-4.76	31.75	75	
21351	S501-99-111 S501-23-200 0911-99-111B	E2500	4	88.9	95	103.3	60.3-1.8	2-2.38	1-4.76	28	73	
F-21390	ZZTT-11-100	TRIBUTE MPV MOS2	6	89.0	265	52.4	30.0+0.9	1-1.2 1-1.5	1-2.5	21	60.5	
21374L/R		MPV 3.0L JE MOS2	6	90.0	283	70.8	35.1-2.8	2-1.5	1-4.0	23	63	
21350	JEY6-11-SAOB	929 3.0L JE MOS2	6	90.0	283	74	35.5-3.6	2-1.5	1-4.0	23	77	
21315	0528-23-200	E2700 XB	4/6	92.0	1	115.7	60.215	3-2.38	2-4.76	31.75	75	
21364	G602-11-SAO	G6 B2600	4	92.0	2	73.7	35.7-8.7	2-1.5	1-4.0	23	63	

