

Mitsubishi

C.S. NO.	Mitsubishi O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
F-21788	MD318090		1	60.0	379	50	26.0-1.9	1-1.0 1-1.2	1-2.5	16	46	
F-21787	MD196252		1	60.0	226	53.3	25.8+3.5+0.2	1-1.0 1-1.2	1-2.5	16	46	
21602	MD016670	2G21	2	62.0	85	65.5	27.0+6.5	2-1.5	1-2.5	17	54	
F-21786	MD161584		1	65.0	269	52.1	26.0+1.1+0.9+0.2	2-1.2	1-2.8	16	51	
F-21789	MD358110		1	65.0	318	42.6	25.9+1.2	1-1.0 1-0.8	1-2.0	16	46	
21714		4A31 威利1100, 16V	4	66.0	324	48.65	26.65-3.09	1-1.0 1-1.2	1-2.5	16	44	
21601V	MD030343	4G16EC	4	68.2	118	60	29.0+2.0	2-1.5	1-4.0	18	60	
21650		COLT	4	68.4	118	60	28.5+2.5	2-2.5	1-4.0	18	60	
21663	MD030312	G11B	4	69.5	118	58.8	29.0+0.8	2-1.5	1-4.0	18	60	
21653	MD073733	2G23	2	70.0	178	67.5	27.3+10.2	2-1.5	1-2.5	18	60	
21636	MD019861	2G23	2	70.0	144	59	27.0+2.0	2-1.5	1-2.5	18	60	
21688	MD099759 MD099757	4G13	4	71.0	306	58.5	29.3-1.1	2-1.5	1-4.0	18	60	
21689	MD172036	4G13	4	71.0	305	59.8	29.2+1.8	1-1.2 1-1.5	1-3.0	18	56	
21733		4G13	4	71.0	203	60.5	28.9+2.6	2-1.5	1-4.0	18	60	
21689G	MD172036	4G13	4	71.0	305	59.8	29.2+1.8	2-1.5	1-4.0	18	56	
F-21772U	MD329659	4G13	4	71.0	337	50.3	29-0.3-0.7	1-1.2 1-1.5	1-2.8	18	56	
21604	MD016090	4G42	4	71.0	25	74	31.7+3.8	2-2.0	1-4.0	19	62	
21603V	MD008913	4G36EC	4	71.8	147	83	39.5+4.0	2-1.5	1-4.0	19	64	
21605	MD008912	4G36US	4	71.8	85	83.1	39.5+4.1	2-1.5	1-4.0	19	64	
21607	MD000675	4G30	4	73.0	87	70.8	33.8	2-2.0	1-4.0	19	64	
21608	MD002710 MD002851	4G33	4	73.0	87	69.8	32.8	2-2.0	1-4.0	19	64	
21640	MD009561	4G36	4	73.0	147	82.4	39.5+3.4	2-1.5	1-4.0	19	64	
21639	MD000796	4G36	4	73.0	144	81	39.5+2.0	2-2.0	1-4.0	19	64	
21606	K44-2032-3	KE44	4	73.0	25	74	31.5+4.0	2-2.0	1-4.0	18	64	

C.S. NO.	Mitsubishi O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21638	MD009584 MD009580 MD009581	4G33 SL300	4	73.0	122	70.21	33.21	2-1.5	1-4.0	19	64	
21656			4	73.0	87	67.3	32.3	2-2.0	1-4.0	19	64	
21642	MD012008	G12B	4	74.0	119	58	29.0-1.5	2-1.5	1-4.0	18	62	
21609	MD002675	4G31	4	74.5	1	69.3	32.3	2-2.0	1-4.0	19	64	
21743		C12 新威利 1200	4	75.4	1	50.3	26.8	1-1.2 1-1.5	1-2.5	17	45.5	
21678	MD144901 MD320435 MD314825 MD332841	4G15	4	75.5	81	58	29.0-0.6	1-1.2 1-1.5	1-3.0	18	56	
21690	MD099770 MD099769 23410-24110	4G15	4	75.5	307	58.6	29.4-3.6	2-1.5	1-4.0	18	60	
21678G	MD144901	4G15	4	75.5	81	58	29.0-0.6	2-1.5	1-4.0	18	56	
21765	MD332841	4G15	4	75.5	91	49.7	28.7-1.5	1-1.2 1-1.5	1-2.8	18	56	
21676	MD074715 MD071715 23410-21114	G15B	4	75.5	119	58	29.0-0.7	2-1.5	1-4.0	18	60	
21676F		G15B	4	75.5	119	58	29.0-1.2	2-1.5	1-4.0	18	60	
21648	MD018240	2G24	2	76.0	91	57	27.0-0.3	2-1.5	1-2.5	18	60	
21693		13453P	4	76.5	271	51.4	28.0-3.6	2-1.5	1-3.0	18	55	
21610	MD010670	4G41	4	76.5	25	74	31.5+4.0	2-2.0	1-4.0	19	64	
21611	MD011951	4G41	4	76.5	1	69.3	30.8	2-2.0	1-4.0	19	64	
21693G	90264525	DAEWOO 1.5N	4	76.5	271	51.4	28.0-3.6	2-2.0	1-4.0	18	55	
21661	MD099925 MD105495	4G32	4	76.9	192	68	34.0-2.2	2-1.5	1-4.0	19	64	
21612A	MD004670 MD004671 MD008851	4G32	4	76.9	91	70.61	33.52-3.02	2-2.0	1-4.0	19	64.26	
21612	MD004670 MD004671	4G32	4	76.9	91	70.7	33.7-3.3	2-2.0	1-4.0	19	64	
21637	MD008850	4G32 NEW	4	76.9	91	70.5	33.5-3.2	2-2.0	1-4.0	19	64	
21647HC	MD008860	4G32GS	4	76.9	123	70.5	33.5-0.5	2-2.0	1-4.0	19	64	
21647	MD009520	G32B	4	76.9	123	70.5	33.5-2.2	2-2.0	1-4.0	19	64	
21647HA	MD008853-5	G32B	4	76.9	123	70.5	33.5-2.73	2-2.0	1-4.0	19	64	
21652	MD066511	2G25	2	78.0	119	57.5	27.5-2.3	2-1.5	1-2.5	18	60	
F-21779		S4L	4	78.0	50	72.6	39.7-2.4	1-2.5 hk 1-2.0	1-4.0	23	74	

C.S. NO.	Mitsubishi O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21725L	MD352494	GALANT 2.0	6	78.4	118	55.25	28.65+1.1	2-1.2	1-2.8	19	58	
21725R	MD352494	GALANT 2.0	6	78.4	118	55.25	28.65+1.1	2-1.2	1-2.8	19	58	
21615	MD131612	4D65	4	80.6	50	78.7	41.7-3.3	1-2.0 hk 1-2.0	1-4.0	25	68	
21672	MD061985	4D65	4	80.6	239	78.8	41.8-0.5	1-2.0 hk 1-2.0	1-4.0	25	68	
21672G		4D65	4	80.6	239	78.8	41.8-0.5	2-2.0 hk	1-4.0	25	68	
21616	MD131612	4D65T	4	80.6	50	78.7	41.7-3.3-0.2	2-2.0 hk	1-4.0	25	68	
21616J	MD131615	4D65T	4	80.6	50	78.7	41.7-3.3-0.2	2-2.0 hk	1-4.0	25	68	
21673J	MD072264	4D65T	4	80.6	239	78.8	41.8-1.0-1.2-2.1	2-2.0 hk	1-4.0	25	68	
21715	MD100416	4G37	4	80.6	334	72	34+4.0	2-1.5	1-4.0	19	64	
21613	MD040571	4G62	4	80.6	203	73.5	35.0+1.5	2-2.0	1-4.0	21	72	
21613HA		4G62	4	80.6	203	72	34.9	2-2.0	1-4.0	21	72	
21685	MD184675-7	4G92 LANCER OLD	4	81.0	269	62.3	30.0+3.3	2-1.2	1-2.8	19	58	
21697H	MD329139	4G93	4	81.0	318	59.2	30.2+0.1	2-1.2	1-2.8	19	58	
21697U	MD318097 MD183457	4G93	4	81.0	318	60	30.8+0.2	2-1.2	1-2.8	19	58	
21697U1	MD314278 MD317630	4G93K	4	81.0	328	60	30.5+0.5	2-1.2	1-2.8	19	58	
21697	MD329139	4G93 VIRAGE 1.8	4	81.0	269	60.02	30.1+0.92	2-1.2	1-2.8	19	58	
21713	23410-33410	G4CN	4	81.5	273	67	35-1.0	1-1.2 1-1.5	1-3.0	21	66	
F-21785		COLT	4	81.5	2	50.4	30.4-1.2	2-1.2	1-2.5	19	58	
21680		LANCER 1.6	4	82.3	250	66	32.5+1.4	2-1.5	1-4.0	21	66.5	
21680G	MD129932 23410-33010	LANCER 1.6	4	82.3	250	66	32.5+1.4	1-1.2 1-1.5	1-3.0	21	66.5	
21694J	MD194163	4D68	4	82.7	309	76.3	39.4-0.3-1.4	1-2.0 hk 1-2.0	1-3.0	25	66	
21702J	MD194157	D68T GALLERY COOL	4	82.7	309	76.3	39.3-0.2-1.5-1.6	2-2.0 hk	1-3.0	25	66	
21702JG		D68T GALLERY COOL	4	82.7	309	76.3	39.3-0.2-1.5-1.6	1-2.0 hk 1-2.0	1-3.0	25	66	
21751L/R	MD309393 MD309399	6G73	6	83.5	328	64	31.9+0.1	1-1.2 1-1.5	1-3.0	22	64	
21618		4DQI	4	84.0	50	92.3	45.3-1.8	1-2.5 1-2.0	1-4.0	25	70	
21654	MD021063 MD021192	4G52	4	84.0	87	79.95	40.32	2-2.0	1-4.0	22	75	

C.S. NO.	Mitsubishi O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21660	MD040821	4G63	4	85.0	203	74	35.0+2.0	2-2.0	1-4.0	21	72	
21683	MD129922 23410-33110	4G63	4	85.0	124	67	35.0-2.1	1-1.2 1-1.5	1-3.0	21	66	
21701	MD308200 MD307820	4G63 anodized head	4	85.0	124	67	35.0-5.4	1-1.2 1-1.5	1-3.0	22	62	
21736		4G63	4	85.0	203	69	35.4+1.6-1.5	1-1.2 1-1.5	1-3.0	22	62	
21660A		4G63	4	85.0	203	72.4	34.9+0.5	2-2.0	1-4.0	21	72	
21741	MD307820	4G63 anodized head	4	85.0	124	67	35.0-3.3	1-1.2 1-1.5	1-2.8	22	62	
21667	MD040591 23410-32982	4G63B	4	85.0	204	72.2	35.5-1.0	2-2.0	1-4.0	21	72	?
21717	MD040591	4G63B	4	85.0	277	72	35.0-1.0	2-2.0	1-4.0	21	72	
21707PU	MD190262	4G63DK	4	85.0	229	67	35-2.3	1-1.2 1-1.5	1-3.0	22	62	
21706	MD192212	63DMK	4	85.0	328	67.7	35+0.7	1-1.2 1-1.5	1-3.0	22	62	
21706U	MD190268	63DP	4	85.0	124	67	35.0-0.6	1-1.2 1-1.5	1-3.0	22	62	
21705U	MD129942	G63DH	4	85.0	124	67	35.0-0.6	1-1.2 1-1.5	1-3.0	21	66	
21705	MD158172	G63DM	4	85.0	328	67.7	35.0+0.7	1-1.2 1-1.5	1-3.0	21	66	
21712	MD129232 23410-33110	G63DT SONATA 2.0	4	85.0	124	67	35-5.5	1-1.2 1-1.5	1-3.0	21	66	
21707	MD193226	G63SP	4	85.0	322	67	35-1.1	1-1.2 1-1.5	1-2.8	22	62	
21707G		G63SP	4	85.0	322	67	35-1.1	2-1.5	1-4.0	22	62	
F-21803Y	1110A223	Lancer Evo Gallery cooling Anodizing Graphite skirt	4	85.0	245	53.5	33.6-1.5	2-1.2	1-2.0	22	62	
21710	MD188998	G64	4	86.5	326	67.4	35+0.3+0.4	1-1.2 1-1.5	1-3.0	22	62	
21704	MD105377 23410-32610	G64B	4	86.5	326	72.4	34.9+0.5+0.3	2-1.5	1-4.0	21	72	
21726	MD303074	GALANT 2.4	4	86.5	322	67	35-4.15	1-1.2 1-1.5	1-2.8	22	62	
F-21792		4G69-SA GRUNDER 2.4	4	87.0	322	59.1	28.0-1.9	2-1.2	1-2.0	22	62	
21758			4	87.5	2	63.4	31.3-0.4	2-1.2	1-3.0	21	72	
21762		2.4L	4	87.5	266	61.3	36.7-6.4	1-1.2 1-1.5	1-3.0	22	72.5	
21651		4DR1	4	88.0	50	98.4	51.4-3.3	1-2.5 2-2.0	1-4.0	28	76	
21655J	MD103308 MD050011 MD050014	4D55T 4D56T	4	91.1	180	88.5	48.5-2.2	1-2.5 hk 1-2.0 hk	1-4.0	29	75	

C.S. NO.	Mitsubishi O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21655JG	MD050021 MD103318	4D55 4D56	4	91.1	180	88.5	48.5-2.2	1-2.5 1-2.0	1-4.0	29	75	
21695LJ	MD182601	4D55T/56T gallery cool	4	91.1	298	88.7	48.7-2.4-2.7-3.0	1-2.5 hk 1-2.0 hk	1-4.0	29	75	
21695LJU 21784LJY	MD308461	4D55T/56T gallery cool	4	91.1	105	88.7	48.7-1.4	1-2.5 hk 1-2.0 hk	1-4.0	29	75	
21695RJ	MD182607	4D55T/56T gallery cool	4	91.1	298	88.7	48.7-2.4-2.7-3.0	1-2.5 hk 1-2.0 hk	1-4.0	29	75	
21695RJU 21784RJY	MD308469	4D55T/56T gallery cool	4	91.1	105	88.7	48.7-1.4	1-2.5 hk 1-2.0 hk	1-4.0	29	75	
F-21773LJ	MD377963 MD377962	K-54 anodized top gallery cooling	4	91.1	286	78.7	48.7-2.6	1-2.5 hk 1-2.0 hk	1-4.0	32	75	
F-21773RJ	MD377966 MD377965	K-54 anodized top gallery cooling		91.1	286	78.7	48.7-2.6	1-2.5 hk 1-2.0 hk	1-4.0	32	75	
21621J	MD117177	4D56	4	91.1	298	88.7	48.7-2.3-2.6	1-2.5 1-2.0	1-4.0	29	75	
21686J	MD304838	4D56-NA	4	91.1	195	88.7	48.7-0.2-1.3-2.6	1-2.5 1-2.0	1-4.0	29	75	
21686JG		4D56-NA	4	91.1	195	88.7	48.7-0.2-1.3-2.6	1-2.5 hk 1-2.0	1-4.0	29	75	
21748J		4D57 +MOS2	4	91.1	180	75.9	46.3-3.1-2.3 -2.6-3.4	2-2.0	1-3.0	29	75.5	
21646A	MD026884	4G54R	4	91.1	2	77.2	35.2-5.0	2-2.0	1-4.0	22	79	
21682L	MD152563	6G72	6	91.1	263	68.2	32.2-3.0	2-1.5	1-4.0	22	64	
21682R	MD119671	6G72	6	91.1	263	68.2	32.2-3.0	2-1.5	1-4.0	22	64	
21718L		6G72	6	91.1	263	67.5	31.7-3.5	2-1.5	1-4.0	22	66	
21718R		6G72	6	91.1	263	67.5	31.7-3.5	2-1.5	1-4.0	22	66	
21767	MD350443	6G72	6	91.1	284	64.2	30.2-1.3	1-1.2 1-1.5	1-3.0	22	64	
21646	MD024946 MD024991	G54B 4G54	4	91.1	2	77.2	35.2-5.0	2-2.0	1-4.0	22	79	
21646G	MD026871 MD026940	4G54	4	91.1	2	77.2	35.2-5.0	2-2.0	1-4.0	22	79	
21659	MD026921	G54B OLD	4	91.1	1	77.4	35.4	2-2.0	1-4.0	22	79	
21658	MD071172 MD026921 AM15-11-SAO	G54JP NEW	4	91.1	121	78.3	36.0+0.3	2-1.5	1-4.0	22	79	
21646HB	MD061248	G54T	4	91.1	2	77.2	35.2-5.0	2-1.5	1-4.0	22	79	
21719		VG72	6	91.1	124	66	32-3.5	1-1.2 1-1.5	1-3.5	22	64	
21721	MD307944	VG72H	6	91.1	263	66	32-0.7	1-1.2 1-1.5	1-3.0	22	64	
21722	MD307958	VG72N	6	91.1	288	66.5	32+0.5	1-1.2 1-1.5	1-3.0	22	64	

C.S. NO.	Mitsubishi O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21646HD		4G54	4	91.1	2	77.2	35.2-5.0	2-1.5	1-4.0	22	79	
21760	MD318501 MD360082	6G72	6	91.1	284	65.8	31.8-3.2	1-1.2 1-1.5	1-3.0	22	64	
21730	ME002117	4DR5	4	92.0	215	99.7	52.7-2.6	1-2.5 hk 2-2.0	1-4.5	28	77	
21619	31617-00104 31617-00106	4DR5 6DR5	4	92.0	50	99.5	52.5-3.0	1-2.5 hk 2-2.0	1-4.5	28	77	
21617	ME002044	4DR51	4	92.0	133	100	53.0-2.5	1-2.5 hk 2-2.0	1-4.5	28	77	
21664	MD002044	4DR51	4	92.0	133	99.7	52.7-2.4	1-2.5 hk 2-2.0	1-4.5	28	77	
21753	MD308276	6G74	6	93.0	273	86	32.0-2.7	2-1.5	1-3.0	22	64	
21761	MD334469	6G74	6	93.0	279	65.2	31.2-6.0	2-1.5	1-3.0	22	64	
F-21778	MN149038 MD149038 MD327362	6G74 3.5L	6	93.0	279	64.2	30.2-4.7	2-1.5	1-3.0	22	64	
21756		S4E1	4	94.0	50	90.1	51.5-3.5	1-2.5 hk 1-2.0	1-4.5	28	77	
21755	32A17-00100	S4S	4	94.0	50	89.8	55.0-4.5	1-2.5 hk 1-2.0	1-4.0	30	76.5	
21645	34417-10200	SD4E	2/4	94.0	50	98.5	51.5-3.5	1-2.5 hk 1-2.0	1-4.5	28	77	
21645A	34417-20101	SD4E	4	94.0	50	98.5	51.5-3.5	1-2.5 hk 1-2.0	1-4.5	28	77	
21798J	32A17-03100	S6S-DT	6	94.0	314	90.4	55.4-17.4	1-2.5 hk 1-2.0	1-4.0	30	77	
21692J	ME0217861	4DR7	4	95.0	215	94.6	52.6-2.3	1-2.3 k 1-2.0	1-4.0	30	78	
21691JG1	ME200680 ME200682	4M40 anodized head	4	95.0	308	91.7	51.7-0.4-1.3	1-2.5 k 1-2.0	1-4.0	30	78	
21749J	ME200689 ME200688	4M40 gallery + anodized	4	95.0	308	91.6	51.6-1.2-0.7-0.3	1-2.5 k 1-2.0	1-4.0	30	78	
21691J	ME201780-2	4M40 anodized head	4	95.0	308	91.7	51.7-0.4-1.3	1-2.5 k 1-2.0	1-4.0	30	77	
21691JG2		4M40 L200	4	95.0	308	91.7	51.7-0.4-1.3	1-2.6 hk 1-2.0	1-4.5	30	77	
F-21790JY	ME202095	4M40T gallery + anodized	4	95.0	308	91.6	51.6-2.9-1.1-0.9-0.2	1-2.5 hk 1-2.0	1-3.0	30	78	
F-21776J	ME190903	4M42-0AT gallery cooling	4	95.0	333	87	47-18.1-1.2-0.3	1-2.3 k 1-2.0	1-3.0	32	80	
21806JY	ME193937	4M42 Galelry cooling Graphite skirt	4	95.0	333	77	51.0-17.0-1.2-0.4	1-2.5 k 1-2.0	1-3.0	32	80	
21622	ME023267-02	6DS3	6	95.0	128	105.4	60.8-9.4	1-3.0 hk 1-2.0	1-4.5	32	82	
21620	ME023255	6DSI	6	95.0	41	105.5	60.5-9.0	1-2.5 2-2.0	1-4.5	32	82	
21623	ME023262	6DS5	6	98.0	128	105.5	60.5-8.3	1-3.0 2-2.0	1-5.0	32	82	

C.S. NO.	Mitsubishi O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21624	ME023274-03	6DS7	6	98.0	128	105.4	60.7-9.4	1-3.0 hk 1-2.0	1-5.0	32	82	
21757		S4E2	4	98.0	50	98.5	51.5-3.2	1-3.0 hk 1-2.0	1-5.0	28	77	
21771J	ME191470	4M41T Gallery cooling Graphite skirt]	4	98.5	333	87	47-20.4-1.2-0.3	1-2.5 hk 1-1.5	1-3.0	32	80	
21649J	ME012001 ME012100	4D30	4	100.0	215	110.4	60.4-2.8	1-3.0 hk 1-2.0	1-5.0	34	84	
21745J	ME012090	4D30	4	100.0	215	110.5	60.5-2.8	1-3.0 hk 1-2.0	1-5.0	34	84	
21644	ME012001-3 ME012001	4D30 3298cc	4	100.0	215	110.5	60.5-2.5	1-3.0 hk 1-2.0	1-5.0	34	84	
21665J	ME012131 ME012145 ME012160	4D31	4	100.0	44	110.7	60.7-9.7-18.0	1-3.0 hk 1-2.0	1-5.0	34	84	
21750J	ME012906	4D31	4	100.0	44	110.7	60.7-18.2	1-3.0 hk 1-2.0	1-2.0	34	84	
21698J	ME012858	4D31T	4	100.0	314	110.7	60.7-17.5	1-3.0 hk 1-2.0	1-4.0	34	84	
21698JU	ME012155	4D31T	4	100.0	314	110.7	60.7-18.3	1-3.0 hk 1-2.0	1-5.0	34	84	
21727J	MD012858	6D31	6	100.0	314	110.7	60.7-17.4	1-3.0 hk 1-2.0	1-4.0	34	84	
21728J	34317-10200 5I 7537	S6KT	6	102.0	314	97.8	57.8-18.9	1-3.0 hk 1-2.0 hk	1-4.0	34	84	
21739J	34317-21100	S6KT	6	102.0	314	97.8	57.8-18.9	1-3.0 hk 1-2.0 hk	1-4.0	34	84	
21681J	MD012170	4D32	4	104.0	44	110.7	60.7-18.8	1-2.8 hk 1-2.0	1-4.0	34	84	
21681JG	MD012174 ORIGINAL TYPE	4D32	4	104.0	44	110.7	60.7-18.8	1-3.0 hk 1-2.0	1-4.0	34	84	
21754J	ME018274	4D32	4	104.0	314	110.7	60.7-18.9	1-2.806 k 1-2.0	1-4.0	34	84	
21740J	ME018277	4D32(NEW)	4	104.0	331	112.3	62.3-20.7	1-2.806 k 1-2.0	1-4.0	34	84	
21709J	ME012928 ME012900 ME012901	4D34A	4	104.0	331	112.2	62.2-20.4	1-2.806 k 1-2.0	1-4.0	34	84	
21711J	ME013325	4D34T	4	104.0	331	112.2	62.2-20.5	1-2.806 k 1-2.0	1-4.0	36	88	
21764J	ME014160	6D34T 4D34T	4/6	104.0	331	112.2	62.2-20.7	1-2.806 k 1-2.0	1-4.0	36	88	
21770JYE	ME220470	4D34T4 Gallery cooling	4	104.0	331	112.2	62.2-22.9	1-2.806 k 1-2.0	1-4.0	36	88	
21770JYU	ME220454	4D34-2AT/3AT Gallery cooling	4	104.0	112	112.2	62.2-19.9	1-2.806 k 1-2.0	1-4.0	36	88	
21720J	ME012897	4D33	4	108.0	331	112.2	62.2-21.3	1-3.0 1-2.0	1-4.0	34	84	
21720JA	ME013312	4D33	4	108.0	331	112.2	62.2-21.3	1-3.0 1-2.0	1-4.0	34	84	
21769J	ME018280	4D33-4A	4	108.0	331	112.1	62.2-20.7	1-3.0 1-2.0	1-4.0	34	83.5	

C.S. NO.	Mitsubishi O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
21768JY	ME014693 ME018825 ME012941	4D35 Gallery cooling	4	110.0	331	109.7	59.7-21.4	1-3.0 1-2.0	1-4.0	36	87.5	2nd ring: 2 mm, original size.
21768JYG	ME014693 ME018825 ME012941	4D35 Gallery cooling	4	110.0	331	109.7	59.7-21.4	1-3.0 1-2.5	1-4.0	36	87.5	2nd ring: 2.5 mm
21731J		6110AK	6	110.0	224	113.3	68.3-22.5	1-3.0 hk 1-2.5	1-5.0	38	90	
21629J	ME032216 ME032531	6D14	6	110.0	112	115.5	70.8-20.9	1-3.0 hk 1-2.5	1-5.0	38	90	
21679JD	ME072024	6D14-2A	6	110.0	59	116.1	71.1-20.9	1-3.0 hk 1-2.5	1-5.0	38	90	
21679JU	ME032619 ME032620	6D14-2A 金宗	6	110.0	112	115.8	70.8-20.8	1-3.0 hk 1-2.5	1-5.0	38	90	
21752J	ME072047	6D14-3AT	6	110.0	331	116.1	71.1-21.5	1-2.8 k 1-2.5	1-4.0	38	90	
21716	ME032626	6D14A	6	110.0	48	115.8	70.8-2.1	1-3.0 hk 1-2.5	1-5.0	38	90	
21679G		6D14A	6	110.0	59	116.1	71.1-0.3-21.0	1-3.0 hk 1-2.5	1-5.0	38	90	
21679J	ME032654/56 ME033916	6D14A	6	110.0	59	116.1	71.1-0.3-21.0	1-3.0 hk 1-2.5	1-5.0	38	90	
21674J	ME032569	6D14T	6	110.0	59	116.1	71.1-0.3-10.0-20.0	1-3.0 hk 1-2.5	1-5.0	38	90	
21737J	ME032742	6D14T 6D14 2AT	6	110.0	59	116.1	71.2-20.3-0.3	1-3.0 hk 1-2.5	1-5.0	38	90	
21742J	ME072170	6D14T 6D14 3A	6	110.0	331	116.1	71.1-20.6	1-3.0 1-2.5	1-4.0	38	90	
21626	30017-92101 30017-90100	6DB NEW 6DB1	6	110.0	127	152.5	77.5-2.65	1-3.5 2-2.5	1-5.0	40	95	
21627	30017-70102	6DB OLD	6	110.0	106	139.5	77.5-2.65	1-3.5 2-2.5	1-5.0	40	95	
21630J	ME033934 ME072033	6D15	6	113.0	59	116.2	71.2-0.3-21.0	1-3.0 hk 1-2.5	1-5.0	38	90	
21746J	ME032593	6D15	6	113.0	314	115.8	70.8-21.3	1-3.0 hk 1-2.5	1-5.0	38	90	
21708J	ME072055	6D15T	6	113.0	44	116.1	71.1-21.4	1-2.806 k 1-2.5	1-4.0	38	92	
21729J	ME032870	6D15T	6	113.0	59	116.2	71-0.6-23	1-3.0 hk 1-2.5	1-5.0	38	90	
21708JVG	ME072055	6D15-3AT	6	113.0	331	116.1	71.1-21.7	1-2.806 k 1-2.5	1-4.0	38	93	
21724	DFX003- 1004011		4	113.0	331	113.5	68.3-21.1	1-3.0 hk 1-2.0 hk	1-5.0	38	93	
21677J	ME072062	6D16	6	118.0	44	116.1	71.1-21.8	1-3.0 1-2.5	1-4.0	38	92	
21696J	ME072065	6D16T	6	118.0	44	116.1	71.1-12.2-22.7	1-2.806 k 1-2.5	1-4.0	38	92	
21766J	ME072576	6D17	6	118.0	314	111.1	66.1-23.1	1-3.0 1-2.5	1-4.0	38	92.5	
21675JU	ME052447 ME052448 ME052449	6D22	6	130.0	60	158	82.9-0.4-15.1-26.1	1-3.306 k 1-3.0	1-6.0	50	105	

