

# NISSAN

C.S. NO.	NISSAN O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
22269I	12010-10B06	MA10 HC	4	68.0	231	52.5	26.5-2.1	2-1.5	1-2.8	17	58	
22270I	12010-01B01 12010-01B02/3 12010-24B02	MA10 LC	4	68.0	231	52.5	26.5-4.1	2-1.5	1-2.8	17	58	
22286	A2010-72Y01	GA13	4	71.0	5	53.6	32.6-2.7	2-1.5	1-2.8	19	47	
22294	12010-18B71	MA12	4	71.0	231	54.7	28.5-0.8	2-1.5	1-2.8	17	58	
22278		MARCH	4	71.0	5	49.5	28.0-5.6	1-1.2 1-1.5	1-3.0	18	58	
22203	12010-18021 12010-H2301 12010-H2361	A10	4	73.0	1	67.4	32.55	2-2.0	1-4.0	17.45	65.5	
22204	12010-H1061 12010-H1001 12010-H1011	A12	4	73.0	10	67.5	32.58-1.6	2-2.0	1-4.0	17.45	65.5	
22203A	12010-H6201 12010-H6211	A13	4	73.0	10	67.5	32.65-0.7	2-2.0	1-4.0	17.45	65.5	
22205	12010-13201	DATSUNE1410	4	73.0	1	67.5	32.58	2-2.0	1-4.0	17.45	65.5	
22201	12010-41M02	E10S	4	73.0	179	57.1	28.04-5.42	2-1.5	1-4.0	17.45	62	
22226	12010-13201 12010-B5101	J13 NEW 1300 J20	4/6	73.0	1	66.8	32.08	2-2.0	1-4.0	17.45	65.5	
22274U	12010-87A61	GA14	4	73.6	5	55	32.6-4.1	2-1.5	1-2.8	19	49	
22274I	A2010-73Y00	GA14 HC 新尖兵1400	4	73.6	5	55	32.6-3.1	2-1.5	1-2.8	19	49	
22310	A2010-53Y00	GA15DS	4	73.6	5	51.9	29.5-4.9	2-1.5	1-2.8	19	49	
F-22344	12010-7M600	QG15	4	73.6	10	51.6	29.1-4.8	2-1.5	1-2.8	19	49	
22332		H15	4	75.5	1	71	41	1-2.0 1-2.5	1-4.0	20	57	
22233	12010-H7711	A14	4	76.0	10	67.5	32.5-2.2	2-2.0	1-4.0	19	63	
22233U	12010-H7211/01 12010-H7711	A14	4	76.0	2	67.5	32.5-1.0	2-2.0	1-4.0	19	63	
22225	12010-H7201/11	A14 1397cc	4	76.0	10	67.5	32.7-1.5	2-2.0	1-4.0	19	63	
22222	12010-H7685	A14 1400	4	76.0	2	67.5	32.5-4.0	2-2.0	1-4.0	19	63	
22222A	12010-H7684	A14 1400	4	76.0	2	67.5	32.5-4.0	1-1.2	1-4.0	19	63	
22222G	12010-H7684	A14 1400	4	76.0	2	67.5	32.5-4.0	1-1.2 1-2.0	1-4.0	19	63	
22254	12010-H8911 12010-H8931 12010-H9221	A14S	4	76.0	21	67.5	32.5-7.0	2-2.0	1-4.0	19	63	
22222U	12010-H7511 12010-H7521 12010-H7685	A14S	4	76.0	2	67.5	32.5-3.3	2-2.0	1-4.0	19	63	

C.S. NO.	NISSAN O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
22235	12010-H9714 12010-G3412	A15	4	76.0	10	65	30.0-5.6	1-1.2 1-2.0	1-4.0	19	63	
22246	12010-G3421/11 12010-H9261	A15S	4	76.0	10	65	30.0-6.5	1-1.2 1-2.0	1-4.0	19	63	
22293	12011-31V60	CEFIRO 2.0 V6	6	76.0	2	58.2	30.5-1.0	2-1.2	1-2.5	22	48	
22238HA	12011-01M00	E13S 1300	4	76.0	179	62.5	32.5-6.92	2-1.5	1-4.0	19	62	
22238	12010-01M02/12	E13S 1300尖兵	4	76.0	179	62.5	32.5-6.9	2-1.5	1-4.0	19	62	
22244	12010-17M12	E15	4	76.0	5	61	33.5-10.0	2-1.5	1-4.0	19	62	
22263IV	12010-13M22/02 12010-11M22	E15	4	76.0	179	62.7	32.5-9.4	2-1.5	1-4.0	19	62	
22240A	12011-11M00	E15S 1500	4	76.0	179	62.5	32.5-10.24	2-1.5	1-4.0	19	62	
22240HB	12011-15M00/02	E15S 1500	4	76.0	179	62.5	32.5-10.29	2-1.5	1-4.0	19	62	
22240	12010-11M02/12 12010-19M02	E15S 1500 尖兵 1500	4	76.0	179	62.5	32.5-10.2	2-1.5	1-4.0	19	62	
22245	12010-31M02	E16	4	76.0	5	62.5	32.5-7.5	2-1.5	1-4.0	19	62	
22264I	12010-33M22	E16	4	76.0	2	62.5	32.5-9.5	2-1.5	1-4.0	19	62	
22273IV	12010-73A00/22	E16	4	76.0	179	62.5	32.5-10.1	2-1.5	1-4.0	19	63	
22301		GA16I 1989-1990	4	76.0	5	53.7	29.5-5.2	2-1.5	1-2.8	19	52	
22301G	12010-94M61	GA16	4	76.0	5	53.7	29.5-5.2	2-1.5	1-2.8	19	52	
22202	A2010-57Y00	GA16 NEW SENTRA 1.6	4	76.0	5	54	29.5-4.8	2-1.5	1-2.8	19	52	
22297	12010-71J10	GA16DS	4	76.0	5	54	29.5-4.2	2-1.5	1-3.0	19	55	
22277G	A2010-74Y10	GA16DS	4	76.0	5	53.6	29.5-4.5	2-1.5	1-2.8	19	52	
22277	A2010-74Y00 12010-74Y00	GA16DS NEW	4	76.0	5	54	29.5-4.8	2-1.5	1-2.8	19	52	
22301	12010-84A61	GA16I	4	76.0	5	54	29.5-5.2	2-1.5	1-2.8	19	52	
22255	12010-17M02		4	76.0	2	61	33.5-10.0	2-1.5	1-4.0	19	62	
22336	A2010-8M510	QG16 SENTRA 1.6	4	76.0	10	53.7	29.2-4.8	2-1.5	1-2.8	19	52	
F-22356		QC16 ANODIZED	4	76.0	5	53.5	29.1-5.0	2-1.2	1-2.5	19	52	
22265V	12010-D4011	CA16	4	77.95	118	67.8	30.0+2.8	2-1.5	1-4.0	20	61	
22266V	12010-56E12	CA16	4	77.95	118	63.7	30.0+5.7	2-1.5	1-2.8	20	61	
22239	12010-D1101/11 12010-06E01	CA16 1598cc 快得利 1600	4	77.95	118	66.8	30.0+1.8	2-1.5	1-4.0	20	61	

C.S. NO.	NISSAN O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
22206B	12010-E3001	L20	6	77.95	1	79.3	39.8	2-2.0	1-4.0	21	66.5	
22206A	12010-Y7002	J15 L-20A[200L]	6	77.95	1	79.3	39.8	1-1.2 1-2.0	1-4.0	21	66.5	
22206	12010-E3002 12010-01W02/12	J15 DATSUN TRUCK	4	77.95	1	79.3	39.8	2-2.0	1-4.0	21	66.5	
22316	12010-14S11	L20E	6	77.95	2	75.2	40.2-0.6	1-1.5 1-2.0	1-4.0	20	61	
22271V	12010-55S01	RB20E	4	77.95	203	67.4	32.5+1.9	2-1.5	1-2.8	19	62	
22257J	12010-16A02	CD17	4	80.0	95	71	41.0-1.8	1-1.8 1-2.0	1-3.0	24	63	
22257JG	12010-17A02 12010-17A04	CD17	4	80.0	95	71	41.0-1.8	1-1.75 1-2.0	1-3.0	24	63	
22335	12010-WD301	QG18 SENTRA 1.8	4	80.0	10	53.6	29.2-4.8	2-1.5	1-2.8	19	52	
F-22343	12010-7J625	QG18DE ANODIZED TOP	4	80.0	10	53.7	29.1-4.7	2-1.2	1-2.5	19	51	
F-22351												
22303	12010-J22G0	J18	4	80.5	1	65.5	32.5	1-1.5 1-2.0	1-4.0	21	66.5	
22313	12010-84G00 12010-84G72	NA16 NA16S	4	81.5	1	68	35.9	2-1.5	1-4.0	21	64	
22247		CA18	4	82.7	19	65	30	2-1.5	1-4.0	20	61	
22247A	12010-D1201 12010-01F01 12010-D0301	CA18	4	83.0	19	65	30	2-1.5	1-4.0	20	61	
22323	12010-51E63	CA18DE	4	83.0	214	59.9	29.7+2.7	2-1.5	1-2.8	20	57	
22280	12010-44F01	CA18DET anodized head	4	83.0	19	57.5	30	2-1.5	1-2.8	20	61	
22285	12010-82A63	CA18E	4	83.0	118	62	30.0+4.5	2-1.5	1-2.8	20	57	
22251	12010-17F11	CA18ET	4	83.0	103	65	30	2-1.5	1-2.8	20	61	
22208	12010-A9601	L13, L16	4/6	83.0	10	78.2	38.2-1.2	2-2.0	1-4.0	21	72	
22207	12010-22001	L14	4	83.0	1	78	38	2-2.2	1-4.0	21	72	
22229	12010-H2711	L14	4	83.0	42	78.2	38.7-3.7	2-2.0	1-4.0	21	72	
22207A (22211)	12010-E3111	L24	6	83.0	1	78	38	2-2.0	1-4.0	21	72	
22229A	12010-A8601	L-24E	6	83.0	42	78.2	38.7-3.7	2-2.0	1-4.0	21	72	
22317	12010-27L11	L24S	6	83.0	2	78.2	38.2-1.4	1-1.5 1-2.0	1-4.0	21	72	
22208A	12010-23002	L16	6	83.0	10	78.2	38.2-1.2	2-2.0	1-4.0	21	72	
22210	12010-76212	SD 20,. SD22 OLD	4	83.0	45	96	48.0-2.0	1-2.5 2-2.0	2-4.5	26	71	

C.S. NO.	NISSAN O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
22230	12010-J5312 12010-Y1411	SD22	4/6	83.0	45	96	48.0-2.6-2.0	1-2.5 2-2.0	2-4.5	26	71	
22230J	12010-J5313	SD22	4	83.0	45	96	48.0-2.6-2.0	1-2.5 2-2.0	2-4.5	26	71	
22209	12010-Y5210/11	SD22 NEW	4	83.0	45	96	48.0-2.0	1-2.5 2-2.0	2-4.5	26	71	
22209J	12010-Y5210/11	SD22 NEW	4	83.0	45	96	48.0-2.0	1-2.5 2-2.0	2-4.5	26	71	
22234J	12010-R8111/10 12010-36W10	SD22 NEW	4	83.0	45	90	48.0-2.0-0.5	1-2.5 1-2.0	1-4.5	26	71	
22268	12010-C8602	SD33	6	83.0	164	80.2	48.2-0.6-2.0	1-2.5k 1-2.0	1-4.0	26	68	
22268J	12010-C8602	SD33	6	83.0	164	80.2	48.2-0.6-2.0	1-2.5k 1-2.0	1-4.0	26	68	
22268JK	12010-C8701	SD33	6	83.0	164	80.2	48.2-0.6-2.0	1-2.5k 1-2.0	1-4.0	26	68	
22289	12010-W7111	Z16	4	83.0	118	78.8	38.2+0.6	2-2.0	1-4.0	21	64	
22247A	12010-01F01/11 12010-D0301 12010-D1201	Blue Bird 1800 CA18	4	83.0	103	65	30	2-1.5	1-4.0	20	61	
22208C		L16	6	83.0	2	77.56	37.56-1.56	2-2.0	1-4.0	21	72	
22208D		L16	4	83.0	10	77.56	37.56-2.2	2-2.0	1-4.0	21	72	
22208B		L16	4	83.0	10	78.3	38.15-2.41	2-2.0	1-4.0	21	72.99	
22207C		240Z	6	83.0	1	78.3	38.15	2-2.0	1-4.0	21	72.99	
22248	12010-13E11	CA20	4	84.5	204	65	30.0-0.2	2-1.5	1-2.8	20	61	
22288	12010-D3601	CA20	4	84.5	204	65	30.0-1.6	2-1.5	1-4.0	20	61	
22248A	12010-D1801	CA20	4	84.5	204	65	30.0-0.2	2-1.5	1-4.0	20	61	
22250A	12010-04F01/11 12010-10F01	CA20 青鳥2000	4	84.5	204	65	30.0-2.2	2-1.5	1-4.0	20	61	
22281J	12010-57J00 A2010-57J01	CD20	4	84.5	246	75.5	44.3-1.2	2-2.0	1-3.0	25	66.5	
22341J	A2010-1C310	CD20T GALLERY COOL	4	84.5	246	75.5	44.3-2.7-1.2	1-2.0K 1-2.0	1-3.0	28	66.5	
22237JA	12010-V5762 12010-V0762 12010-W2502	LD28	6	84.5	31	86.4	46.5-2.0	2-2.0	1-4.0	25	67	
22223	12010-A8701 12010-U2001	L18 1770cc	4	85.0	10	78.3	38.3-1.3	2-2.0	1-4.0	21	72	
22224	12010-U6001/11	L20B 8.0:1	4	85.0	2	78.3	38.3-3.0	2-2.0	1-4.0	21	72	
22237J	12010-W1702	LD20	4	85.0	31	86.4	46.5-2.0	2-2.0	1-4.0	25	67	
22267J	12010-G5562	LD20	4	85.0	195	78	46.5-1.2	2-2.0	1-4.0	25	67	

C.S. NO.	NISSAN O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
22311	A2010-V7213	RD28	6	85.0	246	78	46.5-1.2	2-2.0	1-4.0	25	66.5	
22284J	12010-22J11 12010-22J62	RD28T gallery cool	6	85.0	246	78.3	46.8-1.3-2.8	2-2.0	1-4.0	27	66.5	
22334J	A2010-VB300	RD28T gallery cool anodized head	6	85.0	246	78.3	46.8-1.8-0.7	1-2.13K 1-2.0	1-4.0	27	61.5	
22243	12010-W1411/21 12010-W1461	Z20	4	85.0	124	67	32.0-3.47	2-1.5	1-4.0	21	72	
22243HA	12010-W4001	Z20	4	85.0	204	67	32.0-1.6	2-1.5	1-4.0	21	72	
22243U		Z20	4	85.0	124	66.6	31.6-3.2	2-1.5	1-4.0	21	72	
22241	12010-N8711	Z20S	4	85.0	103	67	32	2-1.5	1-4.0	21	72	
22212	12010-58100 12010-C8010	P680 3956cc	6	85.7	1	94.5	53.18	2-2.5	1-4.76	20.64	74.61	
22212HC			6	85.7	1	94.5	53	2-2.5	1-4.76	20.64	59.5	
22212HB	12010-58100		6	85.7	1	93.81	52.78	2-2.5	1-4.76	20.64	75.64	
22227	12010-Y4111 12010-Y4121	L28	6	86.0	10	78.3	38.3-3.1	2-2.0	1-4.0	21	72	
22227HB	12010-P7902 12010-P7912	L28E	6	86.0	1	78.6	38.6	1-1.5 1-2.0	1-4.0	21	72	
22227A		L28	6	86.0	2	78.3	38.15-3.13	2-2.0	1-4.0	21	72.99	
22314	12010-85G02	NA20	4	86.0	26	69.9	38.4	2-1.5	1-4.0	21	64	
22249	12010-67511	RB30E	6	86.0	118	66.6	32.5+2.6	2-1.5	1-2.8	21	64	
22249U	12010-67511	RB30E	6	86.0	118	66.6	32.5+2.6	2-1.5	1-2.8	21	64	
22279	A2010-63J00	SR20DE	4	86.0	2	63	32.0-0.9	2-1.5	1-3.0	22	60	
22279U	A2010-65J01 A2010-65J02	SR20DE	4	86.0	1	63	32	2-1.5	1-3.0	22	60	
22312J	12010-9C625	LD23	4	87.0	246	76.2	47.2-2.2	2-2.0	1-3.0	26	63.8	
22292	A2010-96E00	VE30DE	6	87.0	1	64.5	32	2-1.5	1-2.8	22	67	
22272	12010-21P61	VG30	6	87.0	236	67	32	2-1.5	1-2.8	21	64	
22308	12010-02P01 12010-03P01	VG30	6	87.0	2	67	32.0-2.9	2-1.5	1-2.8	21	72	
22272U	12011-73A00	VG30	6	87.0	236	67	32	2-1.5	1-2.8	21	64	
22291L	A2010-OB110(L)	VG30E	6	87.0	317	67.8	31.85+0.8+0.15	2-1.5	1-2.8	21	64	
22291R	A2010-OB101(R)	VG30E	6	87.0	317	67.8	31.85+0.8+0.15	2-1.5	1-2.8	21	64	
22328		VG30E gallery+MOS2	6	87.0	273	59.7	32.0-2.1	2-1.5	1-2.8	22	69	

C.S. NO.	NISSAN O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
22261	12010-D8101	Z22	4	87.0	124	67	32.0-2.1	2-1.5	1-4.0	21	64	
22213	12010-69200 12010-R9001 12010-74001	H20 1982cc 92PS	4	87.2	10	84.1	41.1-1.6	1-2.0 1-2.5	1-4.0	22	72.5	
22324	12010-50K24	H20 NEW	4	87.2	2	71	41.0-1.6	1-2.0 1-2.5	1-4.0	20	62	
22232	12010-14611	R 1595cc	4	87.2	14	88.1	41.0+4.1	1-2.0 1-2.5	1-4.0	22	73	
22214	12010-74501	R-16 H-30 N-41	4	87.2	1	84	41	1-2.0 1-2.5	1-4.0	22	72.5	
22228	12010-25511	U-20	4	87.2	1	84.2	41.2	2-2.0	1-4.0	22	72.5	
22213A	12010-74001	H20 1982cc 92PS	4	87.2	2	84.5	40.6-1.65	1-2.0 1-2.5	1-4.0	22	72.51	
22236			6/8	88.9	1	98.425	53.975	2-2.38	1-4.76	22.23	76.2	
22326		KA24	4	89.0	10	60.8	34.0-6.4	2-1.2	1-2.5	21	57	
22296	A2010-30R10	KA24E	4	89.0	2	68.3	34.0-0.6	2-1.5	1-2.8	21	59	
22296G	12010-86G20	KA24E	4	89.0	2	68.3	34.0-0.6	2-1.5	1-2.8	21	66.5	
22306	A2010-1E400	KA24DE ANODIZED HEAD	4	89.0	10	68.3	34-6.5	2-1.5	1-2.8	21	61	
F-22349	A2010-8J012	2.5L ANODIZED GRAPHITE SKIRT	4	89.0	369	55	32.0-4.0	2-1.2	1-2.5	20	57	
22242	12010-T6202/12 12010-09W10 12010-T6272	SD23	4	89.0	45	90	48.0-0.7-1.8-3.0	1-2.5 1-2.0	1-4.5	26	74	
22242J	12010-T6213/03 12010-29W00 12010-09W01	SD23	4	89.0	45	90	48.0-0.7-1.8-3.0	1-2.5 1-2.0	1-4.5	26	74	
22256J	12010-L2002	SD25	4	89.0	45	90	48.0-0.6-2.4	1-2.5 1-2.0	1-4.5	26	74	
22282J	12010-T6206	SD25	4	89.0	45	80	48.0-0.6-1.7	1-2.5 1-2.0	1-4.5	26	74	
22283J	12010-02N06/16 12010-02N07/17	TD23	4	89.0	45	84	48.2-1.6-0.8	1-2.5 1-2.0	1-4.0	26	74	
F-22340J	A2010-VK515 A2010-VK510 A2010-VK-516	YD25DDT YD25DTI Gallery cooling	4	89.0	355	80	48.8-18.1	1-2.0K 1-2.0	1-3.0	28	61	
22260	12010-83W01	Z24	4	89.0	124	70.4	33.8-4.0	1-2.0 1-1.5	1-4.0	21	66.5	
22260G	12010-30W01	Z24	4	89.0	124	70.4	33.8-4.0	2-1.5	1-4.0	21	66.5	
22258J	12010-44G02 12010-44G12	TD25	4	92.9	111	87	50.3-0.58-0.94-1.58	1-2.5 1-2.0	1-4.0	28	80	
22304J	12010-44G15	TD25	4	92.9	111	86	50.3-0.4-1.4-0.7	1-2.5 1-2.0	1-3.0	30	74	
22304JG		TD25	4	92.9	111	86	50.3-0.4-1.4-0.7	1-2.5 1-2.0	1-4.0	30	74	
22333J	12010-3S900	TD25TI Anodized head Gallery cooling	4	92.9	95	86	50.4-1.5	1-2.5K 1-2.0	1-3.0	30	80	

C.S. NO.	NISSAN O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
22333JG		TD25TI Anodized head Gallery cooling	4	92.9	95	86	50.4-1.5	1-2.5 1-2.0	1-4.0	30	80	
22307		CEFIRO 3.0	6	93.0	2	58.3	30.3-0.4	2-1.2	1-2.5	22	58	
F-22347	A2010-8J101	3.5L V6 ANODIZED GRAPHITE SKIRT	6	95.5	232	53.8	29.5+0.8	2-1.2	1-2.5	22	58	
F-22348	A2010-4W161	3.5L V6 ANODIZED GRAPHITE SKIRT	6	95.5	1	52.6	29.5	2-1.2	1-2.5	22	58	
22299	12010-03J61	TB42E	6	96.0	1	80	40.5	2-2.0	1-4.0	23	76	
22253J	12010-10T12 12010-10T02 12010-43G02 12010-43G12	TD27	4	96.0	111	87.1	50.3-0.8-1.7	1-2.5 1-2.0	1-4.0	28	80	
22298JG		TD27	4	96.0	286	86	50.3-0.5-1.7	1-2.5 1-2.0	1-4.0	30	74	
22298JU	12010-10T05	TD27	4	96.0	325	86	50.3-0.7-1.7	1-2.5 1-2.0	1-3.0	30	74	
22298J	12010-6T000 12010-6T010	TD27 NEW	4	96.0	286	86	50.3-0.5-1.7	1-2.5 1-2.0	1-3.0	30	74	
22298JG1		TD27T	4	96.0	286	86	50.3-0.5-1.7	1-2.5k 1-2.0	1-4.0	30	74	
22295JY	12010-31N03	TD27T gallery cooling	4	96.0	325	87	50.3-1.7-0.8	1-2.5k 1-2.0	1-4.0	30	80	
22295JG	12010-31N03	TD27T gallery cooling	4	96.0	325	87	50.3-1.7-0.8	1-2.5 1-2.0	1-4.0	30	80	
F- 22295JYU	12010-63G01	TD27-T Gallery cooling	4	96.0	358	87	50.3-2.0	1-2.5k 1-2.0	1-4.0	30	80	
F-22342J		TD27TY Steel strut Gallery cooling	4	96.0	358	87.2	50.4-1.4	1-2.5k 1-2.0	1-3.0	30	80	
22309J	12010-54T10	BD30 中空	4	96.0	331	89.6	53.1-20.1	1-2.5 1-2.0	1-4.0	30	80	
22309JH1	12010-69T06	BD30T 中空	4	96.0	345	89.6	53.1-21.4-0.7-0.4	1-2.5 K 1-2.0	1-3.0	30	80	
22330J	12011-VW211B	ZD30E Gallery cooling	4	96.0	274	74.1	50.1-18.2	1-2.0 1-1.2	1-2.0	33	78	
22331J	12010-VC112	ZD30ET Gallery cooling Anodized top	4	96.0	274	74.1	50.1-19.6	1-2.5k 1-2.0	1-3.0	33	78	
22331JG	12010-VK610	ZD30DDTI Gallery cooling Anodized top	4	96.0	274	74.1	50.1-19.6	1-2.5k 1-2.0	1-2.0	33	78	
22231	12010-J2000/01	ED30 2956cc	4	98.0	111	103	59.0-0.7-1.5	1-3.0 2-2.0	1-4.5	32	85	
22319J	12010-2S605	QD12 QD32	4	99.2	286	69.8	45.3-1.4-2.4	1-2.5 1-2.0	1-3.0	33	78	
F-22357JY		QD32 Gallery cooling Anodized	4	99.2	95	69.8	45.3-2.2-1.4	1-2.5K 1-2.0	1-3.0	33	78	
22320	A2010-VB061	TD45	4	99.5	1	80	40.3	1-2.0 1-1.5	1-4.0	23	65	
22215JH	12011-J6500/01 12010-T9000/01 12010-T9020	ED33	4	100.0	111	103	59.0-2.1-0.4	1-3.0 1-2.0	1-4.5	34	85	

C.S. NO.	NISSAN O.E.M. REF.NO.	MODEL & DESCRIPTION	NO. CYL	CYL. DIA.	HEAD TYPE NO.	PISTON				PIN		REMARKS
						LONG	COMP. DIST.	RING		DIA	LONG	
								COMP.	OIL			
22215	12011-25000	ED60	6	100.0	111	103	59.0-2.2	1-3.0 2-2.0	1-4.5	34	85	
22327JG	12011-T9313	FD33	4	100.0	59	103.2	59.2-20.9-0.7	1-3.0 1-2.0	1-4.5	34	85	
22327J	12011-T9304	FD33T	4	100.0	59	103.2	59.2-20.9-0.7	1-3.0K 1-2.0	1-4.5	34	85	
22262J	12010-Z5505	FD6	6	100.0	198	109.5	65.5-0.7-20.0	1-3.0 2-2.0	1-4.5	34	85	
22262JI	12011-Z5576 12011-Z5505	FD6	6	100.0	314	109.5	65.5-18.7	1-3.0 1-2.0	1-4.5	34	85	
22252J	12011-Z5600	FD6T	6	100.0	314	109.5	65.5-18.5	1-3.0k 1-2.0	1-4.5	34	85	
22262JG	12010-Z5509	FD6T	6	100.0	198	109.5	65.5-0.7-20.0	1-3.0K 2-2.0	1-4.5	34	85	
22262JU	12011-Z5572	FD6T	6	100.0	198	109.5	65.5-0.7-21.7	1-3.0K 1-2.0	1-4.5	34	85	
22300J	12011-Z5502	FD6T	6	100.0	60	109.5	65.5-20	1-3.0 1-2.0	1-4.5	34	85	
22302J	12010-01T04 12010-01T14	FD35	4	102.5	59	98.2	59.2-1.10-16.8	2-2.0	1-4.0	34	85	
22302JG	12010-01T03 12010-01T13	FD35T	4	102.5	59	98.2	59.2-1.10-16.4	1-3.0k 1-2.0	1-4.0	34	85	
22321J	12010-0T312	FD46	4	108.0	314	87.1	59.2-22.2	1-3.0 1-2.0	1-4.0	36	93	
22321JH1	12010-0T312	FD46 YU41 gallery cool	4	108.0	314	87.1	59.2-22.2	1-3.0 1-2.0	1-4.0	36	93	
22290JF	12011-Z5614 12011-Z5615	FE6	6	108.0	314	103.5	65.5-19.4	1-3.0K	1-4.0	36	92	
22290JH	12011-Z5801	FE6T	6	108.0	314	103.5	65.5-19.3	1-3.0K 1-2.0	1-4.0	36	92	
22329J		FE6T 230HP anodized head	6	108.0	353	103.5	65.5-21.0	1-2.5K 1-2.0	1-4.0	36	90	
22329JH1	12011-Z5968	FE6T 230HP anodized head	6	108.0	353	103.5	65.5-21.0	1-2.5K 1-2.0	1-4.0	36	90	with pin bushing
22290J	12011-Z5801 12011-Z5507	FE6T Anodized head	6	108.0	314	103.5	65.5-19.4	1-3.0K 1-2.0	1-4.0	36	92	
22290JA	12011-Z5801	FE6T Anodized head 200 HP	6	108.0	314	103.5	65.5-19.4	1-3.0K 1-2.0	1-4.0	36	92	
22305J	12011-Z5768	FE6TN 205 HP	6	108.0	314	103.5	65.5-21.2	1-2.5K 1-2.0	1-4.0	36	93	
22305JH	12011-Z5507	FE6T	6	108.0	314	103.5	65.5-21.2	1-2.5K 1-2.0	1-4.0	36	93	
F-22305JU	12013-Z5512 12011-Z5512	FE6T Anodized head steel strut	6	108.0	314	103.5	65.5-22.9	1-2.5K 1-2.0	1-4.0	36	93	
22216J	12011-95000 12011-95004	ND6	6	110.0	60	113.3	68.3-23.3	1-4.0 1-3.0	1-5.0	36	94	
22275J	12011-95073	NE6	6	110.0	60	110.3	68.3-20.8	1-3.0K 1-2.5	1-4.0	36	95	
22315J	12011-95010	NE6	6	110.0	60	110.3	68.3-23.2-1.1-0.7	1-4.0 1-3.0	1-5.0	36	95	



